




DRAWER SLIDE

www.sunchain.com.tw



History Of Sun Chain

Sun Chain was founded in 1975.

Received ISO 9001 certification in December 1995.

Turnover was more than U.S.\$80 million in 2007, 35% in North America, 45% in European market.

The word "Sun Chain" comes from the famous Chinese philosopher Confucius. It means prosperity and growth.

Feature Of Sun Chain

Innovation

Fostering creativity will build core competence and excellence

Efficiency

Effective operational practices and responsiveness enhance results

Growth

Sound management assuring sustainable business development



DET NORSKE VERITAS MANAGEMENT SYSTEM CERTIFICATE

Certificate No. 0016-1996-AQ-RGC-UKAS

This is to certify that

SUN CHAIN TRADING CO., LTD.

at

11F, No. 53, Ming Chuan W. Rd., Taipei 10452, Taiwan, R.O.C.

has been found to conform to the Management System Standard:

ISO 9001:2000

This Certificate is valid for the following product or service ranges:

WHOLESALE DISTRIBUTION OF FURNITURE FITTINGS & CABINET HARDWARE

Initial Certification date:
December 22nd, 1995

This Certificate is valid until:
December 22nd, 2010

The audit has been performed under the supervision of:
Steven Chou
Lead Auditor



Place and date:
Taipei, December 13th, 2007

for the Accredited Unit:
DNV CERTIFICATION B.V.,
THE NETHERLANDS


Chen Yi
Management Representative

Lack of fulfilment of conditions as set out in the Appendix may render this Certificate invalid.

DNV 7269/2.0

DNV CERTIFICATION B.V. Haastrechtstraat 7, 3079 DC Rotterdam, The Netherlands, TEL.INT.: +31 10 2922 688, FAX: +31 10 4796 768

CERTIFICATION



N° QUAL/2007/29686

SUN CHAIN METAL INDUSTRY CO., LTD.

**DESIGN, MANUFACTURING AND SALE
OF BALL BEARING SLIDES AND TELESCOPIC-SLIDES.**

N° 2 CHI LI 2ND RD. WUCHI TOWN TAICHUNG COUNTY TAIWAN R.O.C.

AFAQ AFNOR International certifies that all the arrangements covering the above-mentioned activities and location as established to meet the requirements of the international standard:

AFAQ AFNOR International certifie que pour les activités et le site référencés ci-dessus toutes les dispositions mises en œuvre pour répondre aux exigences requises par la norme internationale :

ISO 9001 : 2000

have been examined and found to conform.
ont été examinées et jugées conformes.

2007-07-25

2010-07-24

(année/mois/jour)

Il est valable jusqu'au*
*It is valid until**


(year/month/day)

Managing Director of AFAQ AFNOR International
Directrice Générale d'AFAQ AFNOR International



F. NICOLAS

On Behalf of the Firm
Le Représentant de l'Entreprise



HSIN TZU YAO

*Sauf suspension notifiée entre temps par AFAQ AFNOR International à l'entreprise désignée ci-dessus. Le présent document n'a donc qu'une valeur indicative. Seule fait foi la base de données des certificats AFAQ accessible à l'adresse Internet : <http://www.afaq.org>. L'organisation AFAQ AFNOR International est conforme aux normes internationales en vigueur (guide ISO/IEC 62 - norme EN 45012). AFAQ AFNOR International se réserve le droit de modifier, à tout moment et sans préavis la forme de ce document de certification. Ce document, et notamment le logo y figurant, ne peut être utilisé par son titulaire que dans le respect des obligations légales et d'une communication claire et sincère.

*Excepting notification by AFAQ AFNOR International to the above-mentioned company of its suspension. This document is for information purposes only. For up-to-date information, the only official source is the AFAQ certificate database at <http://www.afaq.org>. The AFAQ AFNOR International organization complies with the international standards in force (62 ISO/IEC Guide - EN 45012 standard). AFAQ AFNOR International reserves the right to modify, at anytime and without any notice, the presentation of this certification document. This document and most specifically the logo featuring on this document can only be used by its holder in the frame respecting the legal requirements and a clear and sincere communication.

AFAQ AFNOR INTERNATIONAL - 11 RUE FRANCIS DE PRESENSE - 93571 LA PLAINE SAINT-DENIS CEDEX - FRANCE - SASU AU CAPITAL DE 2.000.000 EUROS - RCS BOBIGNY 392 964 706



Colour & Finish Code

Code	Description
AL	Epoxy Powder Coating, Almond Colour
BE	Epoxy Powder Coating, Beige Colour
BK	(1) Epoxy Powder Coating, Black Colour (2) Electrolytic Coating, Black Colour
BN	Epoxy Powder Coating, Brown Colour
GA	Galvanized
GY	Epoxy Powder Coating, Grey Colour
SV	Epoxy Powder Coating, Silver Colour
WT	(1) Epoxy Powder Coating, White Colour (2) Electrolytic Coating, White Colour
ZB	Black Zinc Plated
ZP	Blue Zinc Plated
ZY	Yellow Zinc Plated
ZP3	Environmental Blue Zinc Plated
ZY3	Environmental Yellow Zinc Plated

Packing Codes

Bulk Packed		Individual Packed	
Code	Description	Code	Description
01	W/O Polybag, W/O Inner Box, W/O Screw	21	1 Set / Polybag, W/O Inner Box, W/O Screw
03	W/O Polybag, W/O Inner Box, W/Screw (Screw Not Installed)	22	1 Set / Polybag, W/O Inner Box, W/ Screw (Screw Individual Packed)
07	W/ Polybag, W/O Inner Box, W/O Screw	24	1 Set / Polybag, W/O Inner Box, W/ Screw (Screw Not Individual Packed)
09	W/ Polybag, W/O Inner Box, W/Screw (Screw Not Installed)	41	Head Card Packed
14	W/O Polybag, W/O Inner Box, W/O Screw (Drawer Member & Cabinet Member Packed Separated)		

Inquiring And Ordering From This Catalogue

Please Convert Your Interested Items Into Proper Sun Chain 16 Digits Item Numbers

						-				●			●		
Model No.						Slide Length			Finish Code			Packing Code			




Table of Contents


1. Light Duty Slide	E1-01~E1-25
2. Medium Duty Slide	E2-01~E2-33
3. Heavy Duty Slide	E3-01~E3-16
4. Euro Slide	E4-01~E4-07
5. Specialty Slide	E5-01~E5-14
6. Index	EI-01

Basic Profile of Sun Chain


Light Duty



Medium Duty




Heavy Duty







Light Duty Slide

Light Duty Slide



Model: L17100

- * Side Mounted
- * 17mm Groove Mounted
- * Single Extension
- * Positive Stop
- * Non-handed
- * 32mm System Hole
- * Two-way Travel
- * Material: Steel
- * Finish: ZP, GA
- * Size: 182mm~438mm
- * Option: With K-brake




t= 0.8mm, 0.9mm, 1.0mm

Item No.	Drawer Length (mm)	Length of Drawer Member A(mm)	Length of Cabinet Member B(mm)	Extension Loss of Slide C(mm)	D(mm)	E(mm)
L17100-182	300	182	182	50	128	-
L17100-214	350	214	214	74	160	-
L17100-246	400	246	246	74	96	96
L17100-278	450	278	278	74	112	112
L17100-310	500	310	310	98	128	128
L17100-342	550	342	342	98	144	144
L17100-374	600	374	374	98	160	160
L17100-406	650	406	406	122	176	176
L17100-438	700	438	438	122	192	192

Option:


#L17101

Cabinet Member with **2pcs Metal Dowel**



#L17102

Cabinet Member with **2pcs Plastic Dowel**





Light Duty Slide



Model: L17100A

- * Side Mounted
- * 17mm Groove Mounted
- * Single Extension
- * Positive Stop
- * Non-handed
- * 32mm System Hole
- * Two-way Travel
- * Material: Steel
- * Finish: ZP, GA
- * Size: 182mm~438mm
- * Option: With K-brake



t= 0.8mm, 0.9mm, 1.0mm




Item No.	Drawer Length (mm)	Length of Drawer Member A(mm)	Length of Cabinet Member B(mm)	Extension Loss of Slide C(mm)
L17100A-182	300	182	182	50
L17100A-214	350	214	214	74
L17100A-246	400	246	246	74
L17100A-278	450	278	278	74
L17100A-310	500	310	310	98
L17100A-342	550	342	342	98
L17100A-374	600	374	374	98
L17100A-406	650	406	406	122
L17100A-438	700	438	438	122

Light Duty Slide



Model: L17121


- * Side Mounted
- * 17mm Groove Mounted
- * **With Plastic End Stopper**
- * Single Extension
- * Positive Stop
- * Non-handed
- * 32mm System Hole
- * One-way Travel
- * Material: Steel
- * Finish: ZP, GA
- * Size: 350mm~480mm
- * Option: Without Plastic End Stopper (**L17120**)



$t = 0.8\text{mm}, 0.9\text{mm}, 1.0\text{mm}$



Item No.	Drawer Length (mm)	Length of Drawer Member A(mm)	Length of Cabinet Member B(mm)	Extension Loss of Slide C(mm)	D(mm)
L17121-350	350	350	246	84	96
L17121-380	380	380	246	84	96
L17121-400	400	400	246	84	96
L17121-430	430	430	278	84	112
L17121-450	450	450	278	84	112
L17121-480	480	480	310	108	128

Light Duty Slide




Model: L17200

- * Side Mounted
- * 17mm Groove Mounted
- * Full Extension
- * Positive Stop
- * Non-handed
- * 32mm System Hole
- * Two-way Travel
- * Material: Steel
- * Finish: ZP, GA
- * Size: 214mm~310mm





Item No.	Drawer Length (mm)	Length of Drawer Member A(mm)	Length of Cabinet Member B(mm)	Travel of Slide C(mm)	D(mm)	E(mm)
L17200-214	350	214	214	280	74	150
L17200-246	400	246	246	344	74	182
L17200-278	450	278	278	408	74	214
L17200-310	500	310	310	424	98	246

Light Duty Slide



Model: L27100

- * Side Mounted
- * 27mm Groove Mounted
- * Single Extension
- * Two-way Travel
- * Positive Stop
- * Non-handed
- * 32mm System Hole
- * Material: Steel,
- * Finish: ZP, ZY, BK, GA
- * Size: 182mm~438mm




Item No.	Drawer Length (mm)	Length of Drawer Member A(mm)	Length of Cabinet Member B(mm)	Extension Loss of Slide C(mm)	D(mm)	E(mm)
L27100-182	300	182	182	48	-	-
L27100-214	350	214	214	48	64	32
L27100-246	400	246	246	72	64	64
L27100-278	450	278	278	72	64	96
L27100-310	500	310	310	72	96	64
L27100-342	550	342	342	96	96	96
L27100-374	600	374	374	96	96	128
L27100-406	650	406	406	120	96	160
L27100-438	700	438	438	120	96	192

Option:

#L27105

With K-Brake for Detent-in and Detent-out




Light Duty Slide



Model: L27103

- * Bottom Mounted
- * Outer Member with Two Bottom Mounted Tabs
- * Single Extension
- * One-way Travel
- * **With Plastic Head**
- * Positive Stop
- * With K-brake For Detent-in and Detent-out
- * 32mm System Hole
- * Material: Steel
- * Finish: ZP, ZY, BK, GA
- * Size: 331mm~395mm





Item No.	Length of Drawer Member A(mm)	Length of Cabinet Member B(mm)	Extension Loss of Slide C(mm)	D(mm)
L27103-300	300	286	201	96
L27103-350	350	336	251	96
L27103-400	400	386	301	96
L27103-450	450	436	351	96

Light Duty Slide




Model: L27108

- * Side Mounted
- * With Adjustable Side Space Tabs
- * With Lift-off Disconnect Drawer Rail
- * Single Extension
- * Positive Stop
- * Detent-in
- * One-way Travel
- * Material: Steel
- * Finish: ZP, ZY, BK, GA
- * Size: 400mm~500mm





Item No.	Length of Drawer Member A(mm)	Length of Cabinet Member B(mm)	Slide Travel C(mm)	D(mm)	E(mm)
L27108-400	400	385	275	-	375
L27108-500	500	485	351	182.5	475

Light Duty Slide



Model: L27109

- * Bottom Mounted With **Drop-On** Mounting Tabs
- * Single Extension
- * Two-way Travel
- * Positive Stop
- * 32mm System Hole
- * Material: Steel
- * Finish: ZP, ZY, BK, GA
- * Size: 221mm~413mm




Item No.	Drawer Length (mm)	Length of Drawer Member A(mm)	Length of Cabinet Member B(mm)	Extension Loss of Slide C(mm)	D(mm)	E(mm)	F(mm)
L27109-221	300	221	182	48	-	-	189
L27109-253	350	253	214	72	64	32	221
L27109-285	400	285	246	72	64	64	253
L27109-317	450	317	278	72	64	96	285
L27109-349	500	349	310	96	96	64	317
L27109-381	550	381	342	96	96	96	349
L27109-413	600	413	374	96	96	128	381

Option:

#L27201

Full Extension

Bottom Mounted with **Drop-on** Mounting Tabs





Light Duty Slide



Model: L27111

- * Side Mounted
- * **With Spring Latch For Lock-out and Front Disconnect**
- * Single Extension
- * One-way Travel
- * Non-handed
- * Material: Steel
- * Finish: ZP, ZY, BK, GA
- * Size: 300mm~500mm
- * Option: With Spring Latch For Detent-out & Front Disconnect





Item No.	Length of Cabinet Member A(mm)	Length of Drawer Member B(mm)	Slide Travel C(mm)
L27111-300	300	299	200
L27111-350	350	349	250
L27111-376	376	375	276
L27111-400	400	399	300
L27111-450	450	449	350
L27111-500	500	499	400

Light Duty Slide




Model: L27117

- * Side Mounted
- * Single Extension
- * Adjustable Side Space Tabs
- * Non-handed
- * Detent-in
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 200mm~600mm





Item No.	Slide Length A		B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
	inch	mm						
L27117-200	8	200	139	64	160	-	128	-
L27117-250	10	250	176	96	210	-	64	160
L27117-300	12	300	214	128	256	-	96	192
L27117-350	14	350	251	128	288	9	128	256
L27117-400	16	400	289	160	320	9	160	320
L27117-450	18	450	326	192	384	9	192	352
L27117-500	20	500	364	224	416	9	192	384
L27117-550	22	550	405	224	448	9	224	416
L27117-600	24	600	439	256	480	9	256	448

Light Duty Slide



Model: L27120

- * Side Mounted
- * Single Extension
- * One-way Travel
- * **With Latch For Detent-out and Front Disconnect**
- * Detent-in
- * Non-handed
- * Material: Steel
- * Finish: ZP, GA
- * Size: 250mm~500mm




Item No.	Length of Cabinet Member A(mm)	Length of Drawer Member B(mm)	Slide Travel C(mm)	D (mm)
L27120-250	250	248	149	-
L27120-300	300	298	199	103
L27120-350	350	348	249	128
L27120-400	400	398	299	153
L27120-450	450	448	349	178
L27120-500	500	498	399	203


Option:

#L27121

Inner Member with Two Bottom Mounted Tabs





Light Duty Slide



Model: L27120-B02

- * Side Mounted
- * Single Extension
- * One-way Travel
- * **With Latch for Detent-out and Front Disconnect**
- * Detent-in
- * With 2 Piece Adjustable Brackets (#B02)
With Four Height Positions, Bracket Non-handed
- * Material: Steel
- * Finish: ZP, ZY, BK, GA
- * Size: 300mm~500mm



Item No.	Length of Cabinet Member A(mm)	Length of Drawer Member B(mm)	Slide Travel C(mm)
L27120-B02-300	300	298	199
L27120-B02-350	350	348	249
L27120-B02-400	400	398	299
L27120-B02-450	450	448	349
L27120-B02-500	500	498	399



Option:

#L27120-B01


With One Piece Non-Adjustable Bracket

#L27120-B03

With One Piece Adjustable Bracket





Light Duty Slide



Model: L27142


- * **Central Mounted**
- * **Friction Disconnect**
- * Single Extension
- * Material: Steel
- * Finish: ZP, BK, GA
- * Size: 305mm~457mm



Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)
L27142-305	305	228	305
L27142-356	356	267	356
L27142-406	406	303	406
L27142-457	457	343	457

Option:

Rear Mounting Plate





Light Duty Slide



Model: L27200

- * Side Mounted
- * 27mm Groove Mounted
- * **Full Extension**
- * Two-way Travel
- * Positive Stop
- * Non-handed
- * Material: Steel
- * Finish: ZP, ZY, BK, GA
- * Size: 182mm~374mm




Item No.	Drawer Length (mm)	Length of Drawer Member A(mm)	Length of Cabinet Member B(mm)	Extension of Slide C(mm)	D(mm)	E(mm)
L27200-182	300	182	182	220	72	72
L27200-214	350	214	214	236	96	96
L27200-246	400	246	246	276	96	120
L27200-278	450	278	278	316	120	120
L27200-310	500	310	310	332	144	144
L27200-342	550	342	342	372	144	168
L27200-374	600	374	374	412	168	168

Light Duty Slide



Model: L35107

- * Side Mounted
- * Single Extension
- * Lever Disconnect (Release By Trigger)
- * Adjustable Side Space Tabs
- * Detent-in
- * Non-handed
- * Material: Steel
- * Finish: ZP, GA
- * Size: 300mm~650mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L35107-300	300	203	301	158	-	160	-
L35107-350	350	262	351	183	-	192	-
L35107-400	400	303	402	215	96	256	-
L35107-450	450	353	453	239	96	288	-
L35107-500	500	381	504	265	96	320	-
L35107-550	550	420	554	290	96	320	416
L35107-600	600	457	605	315	96	320	448
L35107-650	650	495	656	341	96	320	480

Light Duty Slide



Model: L35108

- * Side Mounted
- * Single Extension
- * Adjustable Side Space Tabs
- * Non-handed
- * Detent-in
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~600mm





Item No.	Slide Length A		B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
	inch	mm					
L35108-250	10	250	155	176	-	160	-
L35108-300	12	300	202	96	224	224	-
L35108-350	14	350	250	128	272	256	-
L35108-400	16	400	295	160	320	224	320
L35108-450	18	450	330	160	352	224	352
L35108-500	20	500	370	192	416	224	416
L35108-550	22	550	407	224	448	224	448
L35108-600	24	600	445	224	512	224	480

Light Duty Slide



Model: L35120

- * Side Mounted
- * Single Extension
- * Non-handed
- * **With Latch for Detent-out and Front Disconnect**
- * Detent-in
- * Material: Steel
- * Finish: ZP, BK
- * Size: 300mm~650mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L35120-300	300	203	301	-	-	160	-
L35120-350	350	262	351	183	-	192	-
L35120-400	401	303	402	215	96	256	-
L35120-450	452	353	453	239	96	288	-
L35120-500	503	381	504	265	96	320	-
L35120-550	553	420	554	290	96	320	416
L35120-600	604	457	605	315	96	320	448
L35120-650	655	495	656	341	96	320	480

Option:

#L35128

Inner Member with Two Bottom Mounted Tabs





Light Duty Slide



Model: L35120-B14

- * Side Mounted
- * Single Extension
- * 32mm System Hole
- * **With Latch for Detent-out and Front Disconnect**
- * Detent-in
- * With 2 Piece Adjustable Brackets (#B14)
- * With Four Height Positons, Bracket Non-handed
- * Material: Steel
- * Finish: ZP, BK
- * Size: 300mm~650mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)
L35120-B14-300	300	203	301	-	224
L35120-B14-350	350	262	351	183	288
L35120-B14-400	401	303	402	215	320
L35120-B14-450	452	353	453	239	384
L35120-B14-500	503	381	504	265	416
L35120-B14-550	553	420	554	290	480
L35120-B14-600	604	457	605	315	512
L35120-B14-650	655	495	656	341	544

Option:


#L35120-B11, L35120-B12, L35120-B13
With One Piece Non-adjustable Bracket

Item No.	Bracket Height A (mm)
L35120-B11	46
L35120-B12	93
L35120-B13	106


Type A



Type B






Light Duty Slide




Model: L35103-B10

- * Bottom Mounted
- * Outer Member with Two Bottom Mounted Tabs
- * **With One Piece Non-adjustable Bracket (#B10)**
- * Single Extension
- * Positive Stop
- * Detent-in and Detent-out
- * Material: Steel
- * Finish: ZP, BK
- * Size: 12"~24"
- * Option: Bracket for Other Side Available





Item No.	Length of Drawer Member A		Length of Cabinet Member B (mm)	Slide Travel C(mm)	D		E	
	inch	mm			inch	mm	inch	mm
L35103-B10-12	12	305	288	207	5-1/4"	133.35	8-3/8"	212.725
L35103-B10-14	14	356	339	256	6-1/4"	158.75	10-3/8"	263.525
L35103-B10-16	16	406	389	297	7-1/4"	184.15	12-3/8"	314.325
L35103-B10-18	18	457	440	346	9-1/4"	234.95	14-3/8"	365.125
L35103-B10-20	20	508	491	397	11-1/4"	285.75	16-3/8"	415.925
L35103-B10-22	22	559	542	448	13-1/4"	336.55	18-3/8"	466.725
L35103-B10-24	24	610	593	473	15-1/4"	387.35	20-3/8"	517.525

Light Duty Slide




Model: L35141

- * **Central Mounted**
- * **Friction Disconnect**
- * Single Extension
- * With Rear Mounting Bracket for Length Adjustment
- * With Nail Glide
- * Material: Steel
- * Finish: ZP, BK
- * Size: 325mm~629mm
- * Option: 1. Without Bracket
2. Without Nail Glide
3. Without Rear Mounting Plate






Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	Fit Drawer Length(mm)	Fit Cabinet Depth(mm)
L35141-325	325	217	325	270-318	330-368
L35141-375	375	267	375	321-368	381-419
L35141-425	425	305	425	372-419	432-470
L35141-476	476	318	476	422-470	483-521
L35141-531	531	372	531	473-521	533-572
L35141-578	578	419	578	524-572	584-622
L35141-629	629	445	629	575-622	635-673

Light Duty Slide



Model: L35142


- * **Central Mounted**
- * **Friction Disconnect**
- * Single Extension
- * Material: Steel
- * Finish: ZP, BK
- * Size: For 15" Drawer




Option:

#L35143

Drawer Member for Staples






Light Duty Slide




Model: L35152

- * **Central Mounted**
- * **Friction Disconnect**
- * Single Extension
- * Material: Steel
- * Finish: ZP, BK
- * Size: For 15" Drawer
- * Option: Other Sizes






Light Duty Slide



Model: L35153


- * Central Mounted
- * Friction Disconnect
- * Single Extension
- * Material: Steel
- * Finish: ZP, BK
- * Option: Other Sizes






Medium Duty Slide

Medium Duty Slide




Model: L35161

- * Single Extension
- * Side Mounted
- * Lever Disconnect (Released By Trigger)
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Detent-in
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~700mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
L35161-250	250	188	96	-	144	-
L35161-300	300	215	128	96	224	-
L35161-350	350	245	96	160	256	-
L35161-400	400	300	128	192	320	-
L35161-450	450	338	160	192	288	352
L35161-500	500	375	192	224	288	416
L35161-550	550	413	192	256	288	416
L35161-600	600	450	224	288	320	480
L35161-650	650	488	256	288	352	544
L35161-700	700	525	256	320	352	576

Medium Duty Slide



Model: L35166

- * Side Mounted
- * Single Extension
- * Non-handed
- * 32mm System Hole
- * **With Latch for Detent-out and Front Disconnect**
- * Detent-in
- * Material: Steel
- * Finish: ZP, BK
- * Size: 300mm~650mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
L35166-300	300	225	128	96	224	-
L35166-350	350	263	128	128	256	-
L35166-400	400	300	128	192	320	-
L35166-450	450	338	160	192	288	352
L35166-500	500	375	192	224	288	416
L35166-550	550	413	192	256	288	416
L35166-600	600	450	224	288	320	480
L35166-650	650	488	256	288	352	544

Option:

#L35167

Inner Member with Two Bottom Mounted Tabs




Medium Duty Slide



Model: L35166-B14

- * Side Mounted
- * Single Extension
- * 32mm System Hole
- * **With Latch for Detent-out and Front Disconnect**
- * Detent-in
- * With 2 Piece Adjustable Brackets (#B14)
With Four Height Positons, Bracket Non-handed
- * Material: Steel
- * Finish: ZP, BK
- * Size: 300mm~650mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)
L35166-B14-300	300	225	128	96	224
L35166-B14-350	350	263	128	128	288
L35166-B14-400	400	300	128	192	320
L35166-B14-450	450	338	160	192	384
L35166-B14-500	500	375	192	224	416
L35166-B14-550	550	413	192	256	480
L35166-B14-600	600	450	224	288	512
L35166-B14-650	650	488	256	288	544

Option:


#L35166-B11, L35120-B12, L35120-B13
With One Piece Non-adjustable Bracket

Item No.	Bracket Height A (mm)
L35166-B11	46
L35166-B12	93
L35166-B13	106


Type A



Type B





Medium Duty Slide




Model: L35180

- * Side Mounted
- * Full Extension
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Detent-in
- * Latch Release Disconnect
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~600mm






Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)
L35180-250	250	254	192	-	-	-	160	-
L35180-300	300	305	242	-	-	-	208	-
L35180-350	350	356	128	292	-	-	256	-
L35180-400	400	406	128	320	342	-	288	-
L35180-450	450	457	128	320	392	-	288	352
L35180-500	500	508	128	192	352	442	288	416
L35180-550	550	559	128	224	416	492	288	416
L35180-600	600	610	128	224	416	544	320	480

Medium Duty Slide



Model: L35181

- * Side Mounted By Bayonet
(For Ø4.5mm Wire) with Plastic Bracket
- * Full Extension
- * 32mm System Hole
- * Detent-in
- * Latch Release Disconnect
- * Material: Steel
- * Finish: ZP, BK




Medium Duty Slide



Model: L35184

- * Side Mounted
- * Full Extension
- * **Self Closing**
- * Adjustable Side Space Tabs
- * Non-handed
- * Latch Release Disconnect
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~700mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)	I(mm)
L35184-250	250	254	-	-	-	172	-	-	96
L35184-300	300	305	-	-	-	222	-	-	160
L35184-350	350	356	128	-	-	272	128	-	224
L35184-400	400	406	128	-	-	322	128	-	256
L35184-450	450	457	128	-	320	372	128	-	320
L35184-500	500	508	128	192	352	422	128	288	352
L35184-550	550	559	128	224	416	472	128	288	416
L35184-600	600	610	128	224	416	522	128	320	448
L35184-650	650	660	128	224	416	572	128	352	512
L35184-700	700	711	128	224	416	622	128	352	544

Medium Duty Slide




Model: L35186

- * Side Mounted
- * Full Extension
- * **Self Closing**
- * **Inner Member & Middle Member Can Be Locked**
- * Detent-in & Detent-out
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Latch Release Disconnect
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~600mm





Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)	I(mm)
L35186-250	250	254	172	-	-	-	128	-	-
L35186-300	300	305	222	-	-	-	160	-	-
L35186-350	350	356	128	272	-	-	64	224	-
L35186-400	400	406	128	322	-	-	64	256	-
L35186-450	450	457	128	320	372	-	64	320	-
L35186-500	500	508	128	192	352	442	64	288	352
L35186-550	550	559	128	224	416	472	64	288	416
L35186-600	600	610	128	224	416	522	64	320	448

Medium Duty Slide




Model: L35190

- * Side Mounted
- * Full Extension
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Detent-in
- * Lever Disconnect (Release By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~650mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)
L35190-250	250	250	96	192	-	-	-	-
L35190-300	300	300	128	224	-	224	-	-
L35190-350	350	350	128	288	-	224	-	-
L35190-400	400	400	160	320	-	224	320	-
L35190-450	450	450	192	288	384	224	352	-
L35190-500	500	500	192	320	416	224	416	-
L35190-550	550	550	192	352	480	224	352	448
L35190-600	600	600	192	384	512	224	352	480
L35190-650	650	650	192	416	544	224	352	544

Medium Duty Slide



Model: L35201A

- * Side Mounted
- * With Lift-off Disconnect Drawer Rail
- * Full Extension
- * Positive Stop
- * Detent-in
- * **Progressive Movement**
- * Material: Steel
- * Finish: ZP, BK
- * Size: 12"~28"




Item No.	Slide Length A		Slide Travel B(mm)	C(mm)	D(mm)	E(mm)
	inch	mm				
L35201A-12	12	299	303	224	-	265
L35201A-14	14	350	354	160	256	315
L35201A-16	16	401	405	224	320	365
L35201A-18	18	452	456	224	384	415
L35201A-20	12	503	507	224	416	465
L35201A-22	22	552	554	288	480	495
L35201A-24	24	604	607	288	512	495
L35201A-26	26	655	658	320	576	495
L35201A-28	28	706	709	320	608	495

Medium Duty Slide




Model: L35220

- * Side Mounted
- * Full Extension
- * Non-handed
- * Positive Stop
- * Material: Steel
- * Size: 12"~28"
- * Finish: ZP, BK
- * Option: 1. Detent-in and Detent-out
2. Bottom Mounted (**L35222**)




Item No.	Slide Length A		Slide Travel B(mm)	C(mm)	D(mm)	E(mm)
	inch	mm				
L35220-12	12	305	342	305	150	246
L35220-14	14	356	393	356	175	297
L35220-16	16	406	443	406	201	347
L35220-18	18	457	494	457	227	398
L35220-20	20	508	545	508	253	449
L35220-22	22	559	596	559	279	500
L35220-24	24	610	647	610	305	551
L35220-26	26	660	697	660	331	602
L35220-28	28	711	748	711	356	653

Medium Duty Slide



Model: L39100

- * Side Mounted
- * One-way Travel
- * Non-handed
- * Positive Stop
- * Material: Steel
- * Finish: ZP, BK
- * Size: 400mm~700mm



Item No.	Slide Length A (mm)	Slide Travel B (mm)	C (mm)	D (mm)
L39100-400	400	286	396	-
L39100-450	450	311	446	-
L39100-500	500	361	496	174
L39100-550	550	386	546	199
L39100-600	600	411	596	224
L39100-650	650	461	646	249
L39100-700	700	512	696	274

Option:

#L39110
With Detent-in




Medium Duty Slide




Model: L39225


- * Side Mounted
- * Full Extension
- * Non-handed
- * Two-way Travel
- * Detent-in
- * **Progressive Movement**
- * Material: Steel
- * Finish: ZP, BK
- * Size: 350mm~700mm



Item No.	Slide Length A (mm)	Slide Travel B(mm)
L39225-350	350	263
L39225-400	400	300
L39225-450	450	338
L39225-500	500	375
L39225-550	550	413
L39225-600	600	450
L39225-650	650	488
L39225-700	700	525





Medium Duty Slide



Model: L43100

- * Side Mounted
- * Full Extension
- * 32mm System Hole
- * Non-handed
- * Detent-in
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~700mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L43100-250	250	254	176	-	148	-	-
L43100-300	300	305	96	128	224	-	-
L43100-350	350	356	128	128	224	-	-
L43100-400	400	406	160	160	224	288	-
L43100-450	450	457	160	192	224	352	-
L43100-500	500	508	192	224	224	352	416
L43100-550	550	559	224	224	224	352	416
L43100-600	600	610	256	256	224	352	480
L43100-650	650	660	288	288	224	352	544
L43100-700	700	711	288	288	224	352	544

Medium Duty Slide




Model: L43140

- * Side Mounted
- * Full Extension
- * 32mm System Hole
- * Non-handed
- * **Self Closing**
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~600mm





Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L43140-250	250	250	96	-	124	-	-
L43140-300	300	300	96	112	176	-	-
L43140-350	350	350	128	128	224	-	-
L43140-400	400	400	160	128	224	-	272
L43140-450	450	450	160	192	224	-	320
L43140-500	500	500	192	192	224	352	-
L43140-550	550	550	224	224	224	352	416
L43140-600	600	600	256	256	224	352	472

Medium Duty Slide



Model: L46100

- * Side Mounted
- * Full Extension
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Detent-in
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~700mm



Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
L46100-250	250	250	160	-	160	-
L46100-300	300	302	192	-	192	-
L46100-350	350	354	96	160	256	-
L46100-400	400	400	128	160	288	-
L46100-450	450	452	160	192	288	352
L46100-500	500	515	192	224	288	416
L46100-550	550	558	192	256	288	416
L46100-600	600	600	224	288	320	480
L46100-650	650	650	256	288	352	544
L46100-700	700	705	256	352	352	576



Option:

#C666


Real Mounting Bracket for Face Frame Cabinet

#L46101

Inner Member with Two Bottom Mounted Tabs




Medium Duty Slide




Model: L46106D

- * Side Mounted
- * Full Extension
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Detent-in
- * Lever Disconnect (Release By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~750mm





Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
L46106D-250	250	250	-	160	160	-
L46106D-300	300	300	-	192	192	-
L46106D-350	350	350	96	160	224	-
L46106D-400	400	400	128	160	224	320
L46106D-450	450	450	160	192	224	352
L46106D-500	500	500	192	224	224	416
L46106D-550	550	550	224	224	224	448
L46106D-600	600	600	224	288	224	480
L46106D-650	650	650	256	288	224	544
L46106D-700	700	700	256	352	224	576
L46106D-750	750	750	256	384	224	640

Medium Duty Slide



Model: L46100-Y10

- * Side Mounted
- * Full Extension
- * Detent-in
- * For Metal Drawer with Wooden Cabinet
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 400mm~700mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)
L46100-Y10-400	400	400	289	288	-
L46100-Y10-450	450	452	339	288	352
L46100-Y10-500	500	515	389	288	416
L46100-Y10-550	550	558	439	288	416
L46100-Y10-600	600	600	489	320	480
L46100-Y10-650	650	650	539	352	544
L46100-Y10-700	700	705	589	352	576

Medium Duty Slide




Model: L46100-Y11

- * Side Mounted
- * Full Extension
- * Detent-in
- * Lever Disconnect (Release By Trigger)
- * For Metal Drawer with Metal Cabinet
- * Material: Steel
- * Finish: ZP, BK
- * Size: 400mm~700mm





Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)
L46100-Y11-400	400	400	289	351
L46100-Y11-450	450	452	339	401
L46100-Y11-500	500	515	389	451
L46100-Y11-550	550	558	439	501
L46100-Y11-600	600	600	489	551
L46100-Y11-650	650	650	539	601
L46100-Y11-700	700	705	589	651

Medium Duty Slide




Model: L46100-Y12

- * Side Mounted
- * Full Extension
- * Detent-in
- * For Metal Drawer with Metal Cabinet
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 400mm~650mm






Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)
L46100-Y12-400	400	406	241.3	317.5
L46100-Y12-450	450	457	241.3	317.5
L46100-Y12-500	500	508	393.7	393.7
L46100-Y12-550	550	559	393.7	393.7
L46100-Y12-600	600	610	393.7	393.7
L46100-Y12-650	650	660	545	545

Medium Duty Slide




Model: L46102

- * Side Mounted By Bayonet (For $\varnothing 6\text{mm}$ Wire) and Bracket (For 19mm Board)
- * With 6pcs 2mmT Plastic Spacer (Spacer Can Be Used Optionally for 16mm, 18mm Thickness Board)
- * Full Extension
- * Detent-in
- * Lever Disconnect (Released By Trigger)
- * With Plastic Front Protector
- * Material: Steel
- * Finish: ZP, BK
- * Option: Self Closing (**L46142**)




Medium Duty Slide



Model: L46103

- * Side Mounted By Bayonet and Bracket
- * For Plastic Drawer
- * Full Extension
- * Detent-in
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 511mm, 711mm



Item No.	Length Of Drawer Member A(mm)	Length Of Cabinet Member B(mm)	Slide Travel (mm)	D(mm)	E(mm)
L46103-511	509	497	520	495	511
L46103-711	709	697	730	695	711




Medium Duty Slide




Model: L46120

- * Side Mounted
- * Full Extension
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Detent-in
- * **Latch Release Disconnect**
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~700mm



Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
L46120-250	250	250	160	-	160	-
L46120-300	300	302	192	-	192	-
L46120-350	350	354	96	160	256	-
L46120-400	400	400	96	192	288	-
L46120-450	450	452	128	224	288	352
L46120-500	500	515	160	256	288	416
L46120-550	550	558	192	256	288	416
L46120-600	600	600	192	320	320	480
L46120-650	650	650	224	320	352	544
L46120-700	700	705	256	352	352	576


Medium Duty Slide



Model: L46126-Y11



- * Side Mounted
- * Full Extension
- * Detent-in
- * **Progressive Movement**
- * For Metal Drawer with Metal Cabinet
- * Material: Steel
- * Finish: ZP, BK
- * Size: 400mm~700mm
- * Option: **Progressive Movement with Self Closing (L46127)**





Item No.	Slide Length A (mm)	Slide Travel B (mm)	C (mm)	D (mm)
L46126-Y11-400	400	400	203	351
L46126-Y11-450	450	450	228	401
L46126-Y11-500	500	500	255	451
L46126-Y11-550	550	550	278	501
L46126-Y11-600	600	600	305	551
L46126-Y11-650	650	650	330	601
L46126-Y11-700	700	700	355	651

Medium Duty Slide




Model: L46130

- * Side Mounted
- * Full Extension
- * **Inner Member & Middle Member Can Be Locked**
- * Detent-in & Detent-out
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Lever Disconnect (Released By Trigger)
- * Non-Handed
- * Material: Steel
- * Finish: ZP, BK
- * Size: 300mm~700mm





Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
L46130-300	300	302	192	-	192	-
L46130-350	350	354	96	160	224	-
L46130-400	400	400	128	160	288	-
L46130-450	450	452	160	192	288	352
L46130-500	500	515	192	224	288	416
L46130-550	550	558	192	256	288	416
L46130-600	600	600	224	288	320	480
L46130-650	650	650	256	288	352	544
L46130-700	700	705	256	352	352	576

Medium Duty Slide



Model: L46140A

- * Side Mounted
- * Full Extension
- * **Self Closing**
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Lever Disconnect (Release By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 350mm~700mm





Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
L46140A-350	350	354	96	128	192	-
L46140A-400	400	400	128	160	256	-
L46140A-450	450	452	160	192	224	288
L46140A-500	500	515	192	192	224	352
L46140A-550	550	558	192	256	224	416
L46140A-600	600	600	224	256	224	448
L46140A-650	650	650	256	288	224	512
L46140A-700	700	705	256	320	224	544

Medium Duty Slide




Model: L46145

- * Side Mounted
- * Full Extension
- * **Self Closing**
- * 32mm System Hole
- * Non-handed
- * Detent-in
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 300mm~700m




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
L46145-300	300	300	64	128	160	-
L46145-350	350	350	96	128	192	-
L46145-400	400	400	128	160	256	-
L46145-450	450	450	160	160	288	-
L46145-500	500	500	192	160	256	352
L46145-550	550	550	192	224	288	384
L46145-600	600	600	224	224	320	448
L46145-650	650	650	224	288	352	480
L46145-700	700	700	224	352	352	512

Medium Duty Slide



Model: L46148

- * Side Mounted
- * Full Extension
- * **Self Closing**
- * 32mm System Hole
- * Non-handed
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 300mm~700m




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)
L46148-300	300	300	96	96	-	16	160	-
L46148-350	350	354	96	160	16	-	192	-
L46148-400	400	400	128	160	16	16	224	-
L46148-450	450	452	160	192	16	-	224	288
L46148-500	500	515	192	192	16	16	224	352
L46148-550	550	558	192	256	16	-	224	384
L46148-600	600	600	224	256	16	16	224	448
L46148-650	650	650	256	288	16	16	224	480
L46148-700	700	705	256	320	16	16	224	544

Medium Duty Slide




Model: L46169

- * Side Mounted
- * Full Extension
- * **Soft Closing, Air Damper**
- * Non-handed
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 300mm~700mm





Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)
L46169-300	300	300	192	-	-	16	160	-
L46169-350	350	350	96	128	16	16	192	-
L46169-400	400	400	128	160	16	16	224	-
L46169-450	450	450	160	192	16	-	224	288
L46169-500	500	500	192	192	16	16	224	352
L46169-550	550	550	192	256	16	-	224	384
L46169-600	600	600	224	256	16	16	224	448
L46169-650	650	650	256	288	16	16	224	480
L46169-700	700	700	256	320	16	16	224	544

Medium Duty Slide




Model: L46181

- * Side Mounted
- * Full Extension
- * Lever Disconnect (Released By Trigger)
- * **Two Side Integrated Interlock and Central-lock**
- * **Interlock Travel: 8mm**
- * **Central-lock Travel: 8mm**
- * Material: Steel
- * Finish: ZP, BK
- * Size: 300mm~700mm
- * Option: With Bayonet for Metal Drawer with Metal Cabinet (**L46181-Y15**)



Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L46181-300	300	300	160	-	192	-	283.5
L46181-350	350	350	64	128	224	-	333.5
L46181-400	400	400	128	128	224	288	383.5
L46181-450	450	450	160	128	224	288	433.5
L46181-500	500	500	160	192	224	352	483.5
L46181-550	550	550	192	192	224	416	533.5
L46181-600	600	600	224	192	224	480	583.5
L46181-650	650	650	224	224	224	512	633.6
L46181-700	700	700	256	224	224	544	683.5




Medium Duty Slide




Model: L46169

- * Side Mounted
- * Full Extension
- * **Soft Closing, Air Damper**
- * Non-handed
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 300mm~700mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)
L46169-300	300	300	192	-	-	16	160	-
L46169-350	350	350	96	128	16	16	192	-
L46169-400	400	400	128	160	16	16	224	-
L46169-450	450	450	160	192	16	-	224	288
L46169-500	500	500	192	192	16	16	224	352
L46169-550	550	550	192	256	16	-	224	384
L46169-600	600	600	224	256	16	16	224	448
L46169-650	650	650	256	288	16	16	224	480
L46169-700	700	700	256	320	16	16	224	544

Medium Duty Slide




Model: L46197A

- * Side Mounted
- * Full Extension
- * **Touch to Open, Push 2mm in Depth**
- * **Pull Out Disconnect**
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~700mm



Item No.	Slide Length A		B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)	I(mm)	J(mm)	K(mm)
	inch	mm										
L46197A-250	10	250	228	-	-	-	-	-	156	-	-	-
L46197A-300	12	300	305	-	-	-	-	-	200	-	-	-
L46197A-350	14	350	356	96	-	-	-	-	256	192	-	-
L46197A-400	16	400	406	128	-	-	-	-	294	224	-	-
L46197A-450	18	450	457	96	64	-	-	-	344	288	-	-
L46197A-500	20	500	508	96	64	192	-	-	394	224	352	-
L46197A-550	22	550	559	128	64	192	-	-	444	224	352	-
L46197A-600	24	600	610	128	96	192	-	-	494	224	352	448
L46197A-650	26	650	660	128	96	192	64	-	544	224	352	480
L46197A-700	28	700	711	128	96	96	192	64	594	224	352	544




Medium Duty Slide



Model: L46199

- * Side Mounted
- * Full Extension
- * **Soft Closing, Soft Travel 30mm**
- * **Pull Out Disconnect**
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Material: Steel
- * Finish: ZP
- * Size: 300mm~700mm




Item No.	Slide Length A		B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)	I(mm)	J(mm)	K(mm)
	inch	mm										
L46199-300	12	300	238	-	-	-	-	156	119	-	-	-
L46199-350	14	350	305	-	-	-	-	200	128	-	-	-
L46199-400	16	400	378	96	-	-	-	256	128	208	-	-
L46199-450	18	450	430	128	-	-	-	294	128	256	-	-
L46199-500	20	500	482	96	64	-	-	344	128	304	-	-
L46199-550	22	550	533	96	64	192	-	394	128	224	352	-
L46199-600	24	600	584	128	96	192	-	444	128	224	352	-
L46199-650	26	650	635	128	96	192	-	494	128	224	352	448
L46199-700	28	700	685	128	96	192	64	544	128	224	352	496




Heavy Duty Slide

Heavy Duty Slide



Model: L35170

- * Side Mounted
- * Single Extension
- * Two-way Travel
- * 32mm System Hole
- * Non-handed
- * Material: Steel
- * Finish: ZP, BK
- * Size: 400mm~700mm





Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)
L35170-400	400	284	400	128
L35170-450	450	318	450	128
L35170-500	500	352	500	128
L35170-550	550	386	550	128
L35170-600	600	420	600	128
L35170-650	650	454	650	128
L35170-700	700	488	700	128

Heavy Duty Slide



Model: L39200

- * Side Mounted
- * Full Extension
- * Non-handed
- * Positive Stop
- * Material: Steel
- * Finish: ZP, BK
- * Size: 300mm~700mm




Item No.	Slide Length A (mm)	Slide Travel B(mm)	C(mm)
L39200-300	300	322	300
L39200-350	350	372	350
L39200-400	400	422	400
L39200-450	450	472	450
L39200-500	500	522	500
L39200-550	550	573	550
L39200-600	600	621	600
L39200-650	650	671	650
L39200-700	700	721	700

Option:

#L39210
With Detent-in





Heavy Duty Slide




Model: L46150A

- * Side Mounted
- * Full Extension
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Detent-in
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 250mm~700mm
- * Option: With Bayonet




Item No.	Slide Length A (mm)	Slide Travel B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
L46150A-250	250	250	160	-	160	-
L46150A-300	300	302	192	-	192	-
L46150A-350	350	354	96	160	224	-
L46150A-400	400	400	128	160	224	320
L46150A-450	450	452	160	192	224	352
L46150A-500	500	515	192	224	224	416
L46150A-550	550	558	192	256	224	416
L46150A-600	600	600	224	288	224	480
L46150A-650	650	650	256	288	224	544
L46150A-700	700	705	256	352	224	576

Heavy Duty Slide




Model: L46160A

- * Side Mounted
- * Full Extension
- * **Self Closing**
- * 32mm System Hole
- * Adjustable Side Space Tabs
- * Non-handed
- * Lever Disconnect (Release By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 350mm~700mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
L46160A-350	350	354	96	128	192	-
L46160A-400	400	400	128	160	256	-
L46160A-450	450	452	160	192	224	288
L46160A-500	500	515	192	192	224	352
L46160A-550	550	558	192	256	224	416
L46160A-600	600	600	224	256	224	448
L46160A-650	650	650	256	288	224	512
L46160A-700	700	705	256	320	224	544

Heavy Duty Slide




Model: L52100

- * Side Mounted
- * Full Extension
- * 32mm System Hole
- * Non-handed
- * Detent-in
- * Lever Disconnect (Released By Trigger)
- * Ball Retainer Be Held After IM Disconnection
- * Material: Steel
- * Finish: ZP, ZB
- * Size: 250mm~700mm
- * Option: Non Disconnect (**L52110**)




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L52100-250	250	250	160	-	160	-	-
L52100-300	300	300	192	-	192	-	-
L52100-350	350	350	64	192	224	-	-
L52100-400	400	400	96	192	224	-	323
L52100-450	450	450	128	224	224	352	323
L52100-500	500	500	128	288	224	416	323
L52100-550	550	550	160	288	224	416	323
L52100-600	600	600	192	320	224	480	323
L52100-650	650	650	192	320	224	544	323
L52100-700	700	700	224	384	224	576	323

Heavy Duty Slide



Model: L52100-Y21

- * Side Mounted
- * Full Extension
- * Detent-in
- * For Metal Drawer with Metal Cabinet
- * Lever Disconnect (Released By Trigger)
- * Ball Retainer Be Held After IM Disconnection
- * Material: Steel
- * Finish: ZP, ZB
- * Size: 350mm~700mm




Item No.	Slide Length A (mm)	Slide Travel B (mm)	C (mm)	D (mm)
L52100-Y21-350	350	350	267.7	256.9
L52100-Y21-400	400	400	267.7	256.9
L52100-Y21-450	450	450	267.7	256.9
L52100-Y21-500	500	500	420.1	256.9
L52100-Y21-550	550	550	420.1	409.3
L52100-Y21-600	600	600	420.1	409.3
L52100-Y21-650	650	650	420.1	409.3
L52100-Y21-700	700	700	572.5	561.7

Heavy Duty Slide



Model: L52145

- * Side Mounted
- * Full Extension
- * **Soft Closing, Soft Travel 50mm**
- * 32mm System Hole
- * Non-handed
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, ZB
- * Size: 410mm~710mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L52145-410	410	360	96	128	-	160	-
L52145-460	460	403	128	128	16	224	-
L52145-510	510	453	128	160	16	256	-
L52145-560	560	502	160	192	16	224	320
L52145-610	610	552	192	192	16	224	352
L52145-660	660	604	192	224	16	224	416
L52145-710	710	651	224	256	16	224	416

Heavy Duty Slide



Model: L52145

- * Side Mounted
- * Full Extension
- * **Soft Closing, Soft Travel 50mm**
- * 32mm System Hole
- * Non-handed
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, ZB
- * Size: 410mm~710mm





Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L52145-410	410	360	96	128	-	160	-
L52145-460	460	403	128	128	16	224	-
L52145-510	510	453	128	160	16	256	-
L52145-560	560	502	160	192	16	224	320
L52145-610	610	552	192	192	16	224	352
L52145-660	660	604	192	224	16	224	416
L52145-710	710	651	224	256	16	224	416

Heavy Duty Slide



Model: L52148

- * Side Mounted
- * Full Extension
- * **Self Closing**
- * 32mm System Hole
- * Non-handed
- * Lever Disconnect (Released by Trigger)
- * Material: Steel
- * Finish: ZP, ZB
- * Size: 350mm~700mm




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L52148-350	350	354	96	128	16	192	-
L52148-400	400	400	128	160	16	224	-
L52148-450	450	452	160	192	-	224	288
L52148-500	500	515	192	192	16	224	352
L52148-550	550	558	192	256	-	224	384
L52148-600	600	600	224	256	16	224	448
L52148-650	650	650	256	288	16	224	480
L52148-700	700	705	256	320	16	224	544

Heavy Duty Slide




Model: L52147

- * Side Mounted
- * Full Extension
- * **Touch to Open, Push 2mm in Depth**
- * Non-handed
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, ZB
- * Size: 300mm~700mm



Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L52147-300	300	305	192	-	-	128	-
L52147-350	350	356	96	128	16	192	-
L52147-400	400	406	128	160	16	224	-
L52147-450	450	457	128	192	16	192	288
L52147-500	500	508	160	224	16	192	320
L52147-550	550	559	192	224	16	256	384
L52147-600	600	610	224	256	16	256	416
L52147-650	650	660	256	256	16	256	448
L52147-700	700	711	256	320	16	320	544




Heavy Duty Slide




Model: L52182


- * Side Mounted
- * Full Extension
- * Lever Disconnect (Released By Trigger)
- * **Two Side Integrated Interlock and Central-lock**
- * **Interlock Travel: 8mm**
- * **Central-lock Travel: 8mm**
- * Material: Steel
- * Finish: ZP, ZB
- * Size: 400mm~700mm
- * Option: Bayonet for Metal Drawer with Metal Cabinet (**L52182-Y21**)



Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L52182-400	400	400	96	160	-	-	383
L52182-450	450	450	128	192	-	323	433
L52182-500	500	500	128	224	320	323	483
L52182-550	550	550	160	256	352	323	533
L52182-600	600	600	192	256	416	323	583
L52182-650	650	650	192	320	480	323	633
L52182-700	700	700	224	320	512	323	683




Heavy Duty Slide



Model: L52185

- * Side Mounted
- * Full Extension
- * **Inner Member & Middle Member Can Be Locked**
- * 32mm System Hole
- * **Lock-out**
- * **Detent-in**
- * Lever Disconnect (Released By Trigger)
- * Non-handed
- * Material: Steel
- * Finish: ZP, ZB
- * Size: 350mm~700mm
- * Option: Detent-out (**L52185A**)




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
L52185-350	350	350	224	-	224	-
L52185-400	400	400	256	-	288	-
L52185-450	450	450	64	256	256	320
L52185-500	500	500	64	288	288	352
L52185-550	550	550	96	320	288	416
L52185-600	600	600	96	384	288	416
L52185-650	650	650	128	384	352	480
L52185-700	700	700	160	416	352	544

Heavy Duty Slide



Model: L53100

- * Side Mounted
- * Full Extension
- * Non-handed
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP, BK
- * Size: 10"~30"
- * Option: Self Closing (L58140)




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L53100-300	300	323	192	32	-	192	-
L53100-350	350	373	224	32	-	224	-
L53100-400	400	423	128	32	288	160	288
L53100-450	450	473	128	32	320	160	320
L53100-500	500	523	160	32	384	192	384
L53100-550	550	573	160	64	416	192	416
L53100-600	600	623	192	32	480	256	480
L53100-700	700	723	256	32	576	288	576

Heavy Duty Slide




Model: L58100

- * Side Mounted
- * Full Extension
- * Non-handed
- * Lever Disconnect (Released By Trigger)
- * Material: Steel
- * Finish: ZP
- * Size: 10"~30"
- * Option: Self Closing (**L58140**)




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
L58100-10	254.0	254.0	203.2	-	146.1	184.2	-
L58100-12	304.8	304.8	76.2	241.3	63.5	171.5	235.0
L58100-14	355.6	355.6	101.6	292.1	76.2	196.9	285.8
L58100-16	406.4	406.4	127.0	342.9	101.6	222.3	336.6
L58100-18	457.2	457.2	152.4	393.7	127.0	247.7	384.4
L58100-20	508.0	508.0	177.8	444.5	152.4	273.1	438.2
L58100-22	558.8	558.8	203.2	495.3	177.8	298.5	489.0
L58100-24	609.6	609.6	228.6	546.1	203.2	323.9	539.8
L58100-26	660.4	660.4	254.0	596.9	228.6	349.3	590.6
L58100-28	711.2	711.2	279.4	647.7	254.0	374.7	641.4
L58100-30	762.0	762.0	304.8	698.5	279.4	400.1	692.2

Heavy Duty Slide




Model: L76100

- * Side Mounted
- * Full Extension
- * Non-handed
- * Material: Steel
- * Finish: ZP
- * Size: 10"~ 60"




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)	I(mm)	J(mm)	K(mm)	L(mm)	M(mm)
L76100-10	254.0	254.0	-	-	-	-	-	-	103.1	-	-	-	133.3
L76100-12	304.8	304.8	-	-	-	-	-	-	153.9	-	-	-	184.1
L76100-14	355.6	355.6	-	-	-	-	-	-	204.7	-	-	-	234.9
L76100-16	406.4	406.4	127	-	-	-	-	-	255.5	-	-	-	285.7
L76100-18	457.2	457.2	127	-	-	-	-	246.1	306.3	-	-	-	336.5
L76100-20	508.0	508.0	127	190.5	-	-	-	296.9	357.1	-	-	-	387.3
L76100-22	558.8	558.8	127	190.5	-	-	-	347.7	407.9	-	-	-	438.1
L76100-24	609.6	609.6	127	190.5	-	-	-	398.5	458.7	-	-	-	488.9
L76100-26	660.4	660.4	127	190.5	-	-	-	449.3	509.5	-	-	-	539.7
L76100-28	711.2	711.2	127	190.5	-	-	-	500.1	560.3	-	-	-	590.5
L76100-30	762.0	762.0	127	190.5	368.3	-	-	550.9	611.1	215.8	-	482.5	641.3
L76100-32	812.8	812.8	127	190.5	368.3	-	-	601.7	661.9	215.8	374.6	533.4	692.1
L76100-34	863.6	863.6	127	190.5	368.3	469.9	-	652.5	712.7	215.8	400	584.2	742.9
L76100-36	914.4	914.4	127	190.5	368.3	520.7	-	703.3	763.5	215.8	425.4	635	793.7
L76100-38	965.2	965.2	127	190.5	368.3	520.7	-	754.1	814.3	215.9	450.8	685.8	844.5
L76100-40	1016.0	1016.0	127	190.5	368.3	520.7	-	804.9	865.1	215.9	476.2	736.6	895.3
L76100-42	1066.8	1066.8	127	190.5	368.3	520.7	-	855.7	915.9	215.9	501.6	787.4	946.1
L76100-44	1117.6	1117.6	127	190.5	368.3	520.7	-	906.5	966.7	215.9	527	838.2	996.9
L76100-46	1168.4	1168.4	127	190.5	368.3	520.7	-	957.3	1017.5	215.9	552.4	889	1047.7
L76100-48	1219.2	1219.2	127	190.5	368.3	520.7	825.5	1008.1	1068.3	215.8	577.8	939.7	1098.5
L76100-50	1270.0	1270.0	127	190.5	368.3	520.7	825.5	1058.9	1119.1	215.8	603.2	990.5	1149.3
L76100-52	1320.8	1320.8	127	190.5	368.3	520.7	825.5	1109.7	1169.9	215.8	628.6	1041.3	1200.1
L76100-54	1371.6	1371.6	127	190.5	368.3	520.7	825.5	1160.5	1220.7	215.8	654	1092.1	1250.9
L76100-56	1422.4	1422.4	127	190.5	368.3	520.7	825.5	1211.3	1271.5	215.8	679.4	1142.9	1301.7
L76100-58	1473.2	1473.2	127	190.5	368.3	520.7	825.5	1262.1	1322.3	215.8	704.8	1193.7	1352.5
L76100-60	1524.0	1524.0	127	190.5	368.3	520.7	825.5	1312.9	1373.1	215.8	730.2	1244.5	1403.3

Heavy Duty Slide



Model: L76100

- * Side Mounted
- * Full Extension
- * Non-handed
- * Material: Steel
- * Finish: ZP
- * Size: 10"~ 60"




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)	I(mm)	J(mm)	K(mm)	L(mm)	M(mm)
L76100-10	254.0	254.0	-	-	-	-	-	-	103.1	-	-	-	133.3
L76100-12	304.8	304.8	-	-	-	-	-	-	153.9	-	-	-	184.1
L76100-14	355.6	355.6	-	-	-	-	-	-	204.7	-	-	-	234.9
L76100-16	406.4	406.4	127	-	-	-	-	-	255.5	-	-	-	285.7
L76100-18	457.2	457.2	127	-	-	-	-	246.1	306.3	-	-	-	336.5
L76100-20	508.0	508.0	127	190.5	-	-	-	296.9	357.1	-	-	-	387.3
L76100-22	558.8	558.8	127	190.5	-	-	-	347.7	407.9	-	-	-	438.1
L76100-24	609.6	609.6	127	190.5	-	-	-	398.5	458.7	-	-	-	488.9
L76100-26	660.4	660.4	127	190.5	-	-	-	449.3	509.5	-	-	-	539.7
L76100-28	711.2	711.2	127	190.5	-	-	-	500.1	560.3	-	-	-	590.5
L76100-30	762.0	762.0	127	190.5	368.3	-	-	550.9	611.1	215.8	-	482.5	641.3
L76100-32	812.8	812.8	127	190.5	368.3	-	-	601.7	661.9	215.8	374.6	533.4	692.1
L76100-34	863.6	863.6	127	190.5	368.3	469.9	-	652.5	712.7	215.8	400	584.2	742.9
L76100-36	914.4	914.4	127	190.5	368.3	520.7	-	703.3	763.5	215.8	425.4	635	793.7
L76100-38	965.2	965.2	127	190.5	368.3	520.7	-	754.1	814.3	215.9	450.8	685.8	844.5
L76100-40	1016.0	1016.0	127	190.5	368.3	520.7	-	804.9	865.1	215.9	476.2	736.6	895.3
L76100-42	1066.8	1066.8	127	190.5	368.3	520.7	-	855.7	915.9	215.9	501.6	787.4	946.1
L76100-44	1117.6	1117.6	127	190.5	368.3	520.7	-	906.5	966.7	215.9	527	838.2	996.9
L76100-46	1168.4	1168.4	127	190.5	368.3	520.7	-	957.3	1017.5	215.9	552.4	889	1047.7
L76100-48	1219.2	1219.2	127	190.5	368.3	520.7	825.5	1008.1	1068.3	215.8	577.8	939.7	1098.5
L76100-50	1270.0	1270.0	127	190.5	368.3	520.7	825.5	1058.9	1119.1	215.8	603.2	990.5	1149.3
L76100-52	1320.8	1320.8	127	190.5	368.3	520.7	825.5	1109.7	1169.9	215.8	628.6	1041.3	1200.1
L76100-54	1371.6	1371.6	127	190.5	368.3	520.7	825.5	1160.5	1220.7	215.8	654	1092.1	1250.9
L76100-56	1422.4	1422.4	127	190.5	368.3	520.7	825.5	1211.3	1271.5	215.8	679.4	1142.9	1301.7
L76100-58	1473.2	1473.2	127	190.5	368.3	520.7	825.5	1262.1	1322.3	215.8	704.8	1193.7	1352.5
L76100-60	1524.0	1524.0	127	190.5	368.3	520.7	825.5	1312.9	1373.1	215.8	730.2	1244.5	1403.3

Heavy Duty Slide



Model: L76115

- * Side Mounted
- * Full Extension
- * Non-handed
- * **Lock-in**
- * **Lock-out**
- * Material: Steel
- * Finish: ZP
- * Size: 10"~ 60"




Item No.	Slide Length A(mm)	Slide Travel B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)	I(mm)	J(mm)	K(mm)	L(mm)	M(mm)
L76115-10	254.0	254.0	-	-	-	-	-	-	103.1	-	-	-	133.3
L76115-12	304.8	304.8	-	-	-	-	-	-	153.9	-	-	-	184.1
L76115-14	355.6	355.6	-	-	-	-	-	-	204.7	-	-	-	234.9
L76115-16	406.4	406.4	127	-	-	-	-	-	255.5	-	-	-	285.7
L76115-18	457.2	457.2	127	-	-	-	-	246.1	306.3	-	-	-	336.5
L76115-20	508.0	508.0	127	190.5	-	-	-	296.9	357.1	-	-	-	387.3
L76115-22	558.8	558.8	127	190.5	-	-	-	347.7	407.9	-	-	-	438.1
L76115-24	609.6	609.6	127	190.5	-	-	-	398.5	458.7	-	-	-	488.9
L76115-26	660.4	660.4	127	190.5	-	-	-	449.3	509.5	-	-	-	539.7
L76115-28	711.2	711.2	127	190.5	-	-	-	500.1	560.3	-	-	-	590.5
L76115-30	762.0	762.0	127	190.5	368.3	-	-	550.9	611.1	215.8	-	482.5	641.3
L76115-32	812.8	812.8	127	190.5	368.3	-	-	601.7	661.9	215.8	374.6	533.4	692.1
L76115-34	863.6	863.6	127	190.5	368.3	469.9	-	652.5	712.7	215.8	400	584.2	742.9
L76115-36	914.4	914.4	127	190.5	368.3	520.7	-	703.3	763.5	215.8	425.4	635	793.7
L76115-38	965.2	965.2	127	190.5	368.3	520.7	-	754.1	814.3	215.9	450.8	685.8	844.5
L76115-40	1016.0	1016.0	127	190.5	368.3	520.7	-	804.9	865.1	215.9	476.2	736.6	895.3
L76115-42	1066.8	1066.8	127	190.5	368.3	520.7	-	855.7	915.9	215.9	501.6	787.4	946.1
L76115-44	1117.6	1117.6	127	190.5	368.3	520.7	-	906.5	966.7	215.9	527	838.2	996.9
L76115-46	1168.4	1168.4	127	190.5	368.3	520.7	-	957.3	1017.5	215.9	552.4	889	1047.7
L76115-48	1219.2	1219.2	127	190.5	368.3	520.7	825.5	1008.1	1068.3	215.8	577.8	939.7	1098.5
L76115-50	1270.0	1270.0	127	190.5	368.3	520.7	825.5	1058.9	1119.1	215.8	603.2	990.5	1149.3
L76115-52	1320.8	1320.8	127	190.5	368.3	520.7	825.5	1109.7	1169.9	215.8	628.6	1041.3	1200.1
L76115-54	1371.6	1371.6	127	190.5	368.3	520.7	825.5	1160.5	1220.7	215.8	654	1092.1	1250.9
L76115-56	1422.4	1422.4	127	190.5	368.3	520.7	825.5	1211.3	1271.5	215.8	679.4	1142.9	1301.7
L76115-58	1473.2	1473.2	127	190.5	368.3	520.7	825.5	1262.1	1322.3	215.8	704.8	1193.7	1352.5
L76115-60	1524.0	1524.0	127	190.5	368.3	520.7	825.5	1312.9	1373.1	215.8	730.2	1244.5	1403.3



Euro Slide


Euro Slide




Model: L70100 (Non-self Closing)
L70101 (Self Closing)



- * Bottom Mounted
- * Single Extension
- * With Flange
- * Double Stopper
- * One Side Captive
- * 32mm System Hole
- * Material: Steel
- * Finish: WT, BK, BN, AL, SV
- * Size: 250mm~600mm




Euro Slide




Model: L70102 (Non-self Closing)
L70103 (Self Closing)



- * Side Mounted
- * Single Extension
- * With Flange
- * Double Stopper
- * One Side Captive
- * 32mm System Hole
- * Material: Steel
- * Finish: WT, BK, BN, AL, SV
- * Size: 250mm~600mm




Euro Slide



Model: L70108 (Self Closing)

- * Bottom Mounted
- * Single Extension
- * With Flange
- * Double Stopper
- * One Side Captive
- * 32mm System Hole
- * Material: Steel
- * Finish: WT, BK, BN, AL, SV
- * Size: 250mm~600mm






Euro Slide




Model: L70109 (Clip on)

- * Bottom Mounted
- * Double Stopper
- * One Side Captive
- * With Flange
- * Self Closing
- * **Clip-on for Wooden Panel Thickness 12mm~14mm**
- * Material: Steel
- * Finish: WT, BK, BN, AL, SV
- * Size: 300mm~600mm




t=1.0mm/1.2mm
After Epoxy Coating

Metal Box







Model: L71102B (Height 86mm)
L71103B (Height 118mm)
L71104B (Height 150mm)






- * Single Extension
- * Self Closing
- * Two Side Captive, One Roller is Higher
- * With Flange
- * Bottom Mounted
- * Nylon Roller
- * Material: Steel
- * Finish: WT, BK, AL, GY
- * Size: 300mm~550mm

Item No.			A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
L71102B-300	L71103B-300	L71104B-300	300	96	96	-	-
L71102B-350	L71103B-350	L71104B-350	350	96	96	-	-
L71102B-400	L71103B-400	L71104B-400	400	128	128	-	-
L71102B-450	L71103B-450	L71104B-450	450	128	128	-	-
L71102B-500	L71103B-500	L71104B-500	500	128	128	105	-
L71102B-550	L71103B-550	L71104B-550	550	128	128	96	96




Metal Box


L71102B, L71103B, L71104B Installation Instruction




Back View



L71102B



L71103B




L71104B






Specialty Slide

Concealed Slide




Model: L72120

- * Bottom Mounted
- * Full Extension
- * 32mm System Hole
- * **Soft Closing (Soft Travel 45mm)**
- * Material: Steel
- * Finish: GA
- * Size: 270mm~600mm



Item No.	Slide Length (mm)	Drawer Length (mm)	Slide Travel (mm)	A(mm)	B(mm)
L72120-270	270	260	280	-	-
L72120-300	300	290	310	224	-
L72120-350	350	340	360	224	-
L72120-400	400	390	410	224	-
L72120-450	450	440	460	224	-
L72120-500	500	490	510	224	-
L72120-550	550	540	560	224	-
L72120-600	600	590	610	224	288





Concealed Slide




Model: L72121

- * Bottom Mounted
- * Full Extension
- * 32mm System Hole
- * **Soft Closing (Soft Travel 45mm)**
- * **Front Locking Kit**
- * Material: Steel
- * Finish: GA
- * Size: 270mm~600mm



Item No.	Slide Length (mm)	Drawer Length (mm)	Slide Travel (mm)	A(mm)	B(mm)
L72121-270	270	260	280	-	-
L72121-300	300	290	310	224	-
L72121-350	350	340	360	224	-
L72121-400	400	390	410	224	-
L72121-450	450	440	460	224	-
L72121-500	500	490	510	224	-
L72121-550	550	540	560	224	-
L72121-600	600	590	610	224	288






Concealed Slide





Model: L72128


- * Bottom Mounted
- * Full Extension
- * 32mm System Hole
- * **Touch to Open**(Push 2mm in Depth)
- * **Front Locking Kit**
- * Material: Steel
- * Finish: GA
- * Size: 270mm~600mm



Item No.	Slide Length (mm)	Drawer Length (mm)	Slide Travel (mm)	A(mm)	B(mm)
L72128-270	270	260	285	-	-
L72128-300	300	290	315	-	-
L72128-350	350	340	365	-	-
L72128-400	400	390	415	224	-
L72128-450	450	440	465	224	-
L72128-500	500	490	515	224	-
L72128-550	550	540	565	224	-
L72128-600	600	590	615	224	288





Flipper Door Slide



Model: L35129

- * Over the Top Mounting
- * With Full Wrap-Around Pin Hinge for 19mm Board
- * **Lid-stay with Gas Mechanism Integrated**
- * Single Extension
- * Detent-in
- * Material: Steel
- * Finish: ZP, BK
- * Size: 16"~24"





Item No.	Slide Length A		Slide Travel B(mm)	C(mm)
	inch	mm		
L35129-16	16	406	317	16
L35129-18	18	457	368	67
L35129-20	20	508	419	118
L35129-22	22	559	470	169
L35129-24	24	610	521	220

Flipper Door Slide




Model: L35121

- * Horizontal and Vertical Dual Mountable
- * Without Follower Strip
- * Without Concealed Hinge
- * Concealed Hinge Installed on the Steel Follower Strip
- * Non-handed
- * Single Extension
- * Detent-out
- * Material: Steel
- * Finish: ZP, BK
- * Size: 16"~28"
- * Option: 1. Guide Roller (#DR-227)
- 2. Concealed Hinge (#FJS245W1-04.WA2)
- 3. Steel Follower Strip (Standard:16")




Item No.	Slide Length A		Slide Travel B(mm)	C(mm)
	inch	mm		
L35121-16	16	406	317	16
L35121-18	18	457	368	67
L35121-20	20	508	419	118
L35121-22	22	559	470	169
L35121-24	24	610	521	220
L35121-26	26	660	571	270
L35121-28	28	711	622	321

Flipper Door Slide




Model: L35122

- * Horizontal and Vertical Dual Mountable
- * Without Follower Strip
- * Without Concealed Hingle
- * Concealed Hingle Installed on the Steel Plate Directly
- * Single Extension
- * Detent-out
- * Material: Steel
- * Finish: ZP, BK
- * Size: 16"~28"
- * Option: 1. Guide Roller (#DR-227)
- 2. Concealed Hinge (#FJS245W1-04.WA2)
- 3. Steel Follower Strip (Standard 16")







Item No.	Slide Length A		Slide Travel B(mm)	C(mm)
	inch	mm		
L35122-16	16	406	317	16
L35122-18	18	457	368	67
L35122-20	20	508	419	118
L35122-22	22	559	470	169
L35122-24	24	610	521	220
L35122-26	26	660	571	270
L35122-28	28	711	622	321

Flipper Door Slide



Model: L35123


- * Horizontal and Vertical Dual Mountable
- * Without Concealed Hinge
- * Concealed Hinge Installed on the Plate Directly
- * Non-handed
- * Single Extension
- * Detent-out
- * Material: Steel
- * Finish: ZP, BK
- * Size: 16"~28"
- * Option: 1. Guide Roller (#DR-227)
2. Concealed Hinge (#FJS245W1-04.WA2)



t=1.5mm




Item No.	Slide Length A		Slide Travel B(mm)	C(mm)
	inch	mm		
L35123-16	16	406	313	16
L35123-18	18	457	364	67
L35123-20	20	508	415	118
L35123-22	22	559	466	169
L35123-24	24	610	517	220
L35123-26	26	660	567	270
L35123-28	28	711	618	321

Flipper Door Slide




Model: L35124

- * Horizontal and Vertical Dual Mountable
- * Without Concealed Hinge
- * Without Wooden Follower Strip
- * Concealed Hinge Installed on the Wooden Follower Strip
- * Non-handed
- * Single Extension
- * Detent-out
- * Material: Steel
- * Finish: ZP, BK
- * Size: 16"~28"
- * Option: 1. Guide Roller (#DR-227)
2. Concealed Hinge (#FJS245W1-04.WA2)






Item No.	Slide Length A		Slide Travel B(mm)	C(mm)
	inch	mm		
L35124-16	16	406	317	16
L35124-18	18	457	368	67
L35124-20	20	508	419	118
L35124-22	22	559	470	169
L35124-24	24	610	521	220
L35124-26	26	660	571	270
L35124-28	28	711	622	321

Flipper Door Slide




Model: L35126

- * Over the Top Mounting with 35mm Groove
- * **With Full Wrap-around Pin Hinge for 19mm Board**
- * Single Extension
- * Non-handed
- * Detent-out
- * Material: Steel
- * Finish: ZP, BK
- * Size: 16"~28"




Item No.	Slide Length A		Slide Travel B(mm)	C(mm)
	inch	mm		
L35126-16	16	406	317	16
L35126-18	18	457	368	67
L35126-20	20	508	419	118
L35126-22	22	559	470	169
L35126-24	24	610	521	220
L35126-26	26	660	571	270
L35126-28	28	711	622	321



Table Slide




Model: L39120-B31
L39120-B32




- * **Synchronous by Cable**
- * With 2 pcs Brackets (#B31 or #B32)
- * 32mm System Hole
- * Size: 627mm~1320mm
- * Option: Other Size




Outer Member



Bracket B31 (Top View)




Bracket B32 (Top View)




Item No.	Slide Length A(mm)	Open Length B(mm)	C(mm)	D(mm)	E(mm)
L39120-B31-627	627	420	1003	30	42.5
L39120-B31-777	777	570	1153	180	42.5
L39120-B31-838	838	631	1214	241	42.5
L39120-B32-1227	1227	1020	1859	118	42.5
L39120-B32-1320	1320	1113	1951	105.5	42.5

Larder Unit Slide





Model: SL32A

- * Heavy Duty Wheel Slide
- * Progressive
- * Full Extension
- * **Soft Closing**
- * Material: Steel
- * Finish: SV





t=3.2mm




Model: SL38

- * Heavy Duty Ball Bearing Slide
- * Full Extension
- * **Self Closing**
- * Material: Steel
- * Finish: ZP





TV-Swivel Slide



Model: L39101



- * Single Extension
- * Positive Stop
- * For TV Swivel (#233)
- * Material: Steel
- * Finish: ZP, BK




TV-Swivel

#233

- * Platform: 305mmW x 305mmL
- * Swivel: 360°




TV-Swivel Slide



Model: L39201


- * Full Extension
- * Positive Stop
- * For TV Swivel (#231, #232)
- * Material: Steel
- * Finish: ZP, BK
- * Slide Extension: 390mm~770mm



TV-Swivel



#231

- * Platform: 720mmW x 390mmL
- * Swivel: 180°



#232

- * Platform: 320mmW x 320mmL
- * Swivel: 360°



Index

Item No.	Page No.
L17100	E1-02
L17100A	E1-03
L17121	E1-04
L17200	E1-05
L27100	E1-06
L27101	E1-07
L27103	E1-08
L27108	E1-09
L27109	E1-10
L27111	E1-11
L27117	E1-12
L27120	E1-13
L27120-B02	E1-14
L27142	E1-15
L27200	E1-16
L35107	E1-17
L35108	E1-18
L35120	E1-19
L35120-B14	E1-20
L35103-B10	E1-21
L35141	E1-22
L35142	E1-23
L35152	E1-24
L35153	E1-25
L35161	E2-02
L35166	E2-03
L35166-B14	E2-04
L35180	E2-05
L35181	E2-06
L35184	E2-07
L35186	E2-08
L35190	E2-09
L35201A	E2-10
L35220	E2-11
L39100	E2-12
L39225	E2-13
L43100	E2-14
L43140	E2-15
L46100	E2-16
L46104A	E2-17
L46106D	E2-18

Item No.	Page No.
L46100-Y10	E2-19
L46100-Y11	E2-20
L46100-Y12	E2-21
L46102	E2-22
L46103	E2-23
L46120	E2-24
L46126-Y11	E2-25
L46130	E2-26
L46140A	E2-27
L46145	E2-28
L46167	E2-29
L46169	E2-30
L46181	E2-31
L46197A	E2-32
L46199	E2-33
L35170	E3-02
L39200	E3-03
L46150A	E3-04
L46160A	E3-05
L52100	E3-06
L52100-Y21	E3-07
L52145	E3-08
L52146	E3-09
L52147	E3-10
L52182	E3-11
L52185	E3-12
L53100	E3-13
L58100	E3-14
L76100	E3-15
L76115	E3-16
L70100	E4-02
L70101	E4-02
L70102	E4-03
L70103	E4-03
L70108	E4-04
L70109	E4-05
L71102B	E4-06
L71103B	E4-06
L71104B	E4-06
L72120	E5-02
L72121	E5-03

[illegible]