

hain
ding Co., Ltd.

Sun Chain

METAL LEGS



History Of Sun Chain

Sun Chain was founded in 1975.

Received ISO 9002 certification in December 1995.

Turnover was more than U.S.\$62 million in 2004, 35% in North America, 45% in European market.

The word "Sun Chain" comes from the famous Chinese philosopher Confucius. It means prosperity and growth.

Future Of Sun Chain

- A. With ISO 9001 certification as foundation, continuing to improve the quality of our product and services.
- B. Continuing our emphasis on R&D and innovation, developing new product and new product line.
- C. Continue to cooperate with our customers to develop new market and new product line. Addressing the need of our customers.
- D. Maintaining annual growth in sales revenue.



DNV

DET NORSKE VERITAS

MANAGEMENT SYSTEM CERTIFICATE

Certificate No. 96-LON-AQ-016

This is to certify that

SUN CHAIN TRADING CO., LTD.

SUN CHAIN TRADING
11F, NO. 53, MING CHIUAN W. RD.
TAIPEI
TAIWAN, R.O.C.

WAREHOUSE
NO. 426-1, CHUNG CHENG RD.
HSIN CHUANG CITY
TAIWAN, R.O.C.

Has been found to conform to the Quality System Standard

ISO 9001 : 2000

This Certificate is valid for the following product or service ranges

WHOLESALE DISTRIBUTION OF FURNITURE FITTINGS & CABINET HARDWARE

Place and date
Hong Kong 15th March 2002

for the Accredited Unit
DNV Certification Ltd.

Management Representative



013

This certificate is valid until:
22nd December 2004
Original certificate valid from:
22nd December 1995

Lack of fulfillment of conditions as set out in the Appendix may render this certificate invalid
The use of Accreditation Mark indicates accreditation in respect of the activities covered by accreditation number 013



LEGS FOR TABLE, CHAIR, SOFA AND CABINET

Table Of Contents

1. Steel Legs	K1-01 ~ K1-26
2. Aluminum Legs	K2-01 ~ K2-07
3. Zamac Legs	K3-01 ~ K3-12
4. Brass Legs	K4-01 ~ K4-03
5. Plastic Legs	K5-01 ~ K5-02
6. Wooden Legs	K6-01 ~ K6-03
7. Other Legs	
Folding Table Leg	K7-01
Electromotive Leg	K7-02
Pneumatic Leg	K7-03
Table Support	K7-04 ~ K7-05
8. Index	KI -01

Colour & Finish Code

Code	Description	Code	Description
BK	Black Epoxy Colour	PB	Polished Brass Plated
BE	Beige Epoxy Colour	PC	Polished Chrome Plated
BL	Blue Epoxy Colour	PL	Polished and Lacquered
BN	Brown Epoxy Colour	PNA	Aluminum Sanded Anodized Nature Colour
CP	Chrome Plated	SL	Brushed Stainless Steel Colour
DC	Dull Chrome Plated	SN	Brushed Dull Nickel Plated
DCL	Dull Chrome Plated, with Lacquer	SV	Silver Epoxy Colour
DN	Dull Nickel Plated	WT	White Epoxy Colour
DNL	Dull Nickel Plated, with Lacquer	WV	Wood Varnished
GY	Grey Epoxy Colour	WW	Wood Stained
NA	Aluminum Anodized Nature Colour		

Key to Order

				-					•			•		
--	--	--	--	---	--	--	--	--	---	--	--	---	--	--

Item No.

Height

Colour &
Finish Code

Packing
Code


Steel Leg



#T001A

- Steel Tube: 38mmD x 1.2mmT (Tapered)
- Inclined (65°)
- With Soft PE Floor-protective Base
- Height: 120mm, 150mm, 180mm
- Finish: DN, PC.


Item No.	Total Height H(mm)
T001A-120	120
T001A-150	150
T001A-180	180




#T001B

- Steel Tube : 38mmD x 1.2mmT (Tapered)
- Inclined (65°)
- With Screw Glide, 5mm Height Adjustment
- Height: 120mm, 150mm, 180mm
- Finish: DN, PC.

Item No.	Total Height H(mm)
T001B-120	120
T001B-150	150
T001B-180	180




Steel Leg



#T002A

- Steel Tube: 50mmD x1.2mmT (Tapered)
- Inclined (65°)
- With Soft PE Floor-protective Base
- Height: 120mm, 150mm, 180mm, 250mm
- Finish: DN, PC.


Item No.	Total Height H(mm)
T002A-120	120
T002A-150	150
T002A-180	180
T002A-250	250



#T002B

- Steel Tube: 50mmD x1.2mmT (Tapered)
- Inclined (65°)
- With Screw Glide, 5mm Height Adjustment
- Height: 120mm, 150mm, 180mm, 250mm
- Finish: DN, PC.

Item No.	Total Height H(mm)
T002B-120	120
T002B-150	150
T002B-180	180
T002B-250	250




Steel Leg



#T003

- Steel Tube: 38mmD x 1.2mmT (Tapered)
- Inclined (65°)
- With Soft PE Floor-protective Base
- Height: 120mm, 150mm, 180mm
- Finish: DN, PC.


Item No.	Total Height H(mm)
T003-120	120
T003-150	150
T003-180	180



#T004

- Steel Tube: 50mmD x 1.2mmT (Tapered)
- Inclined (65°)
- With Soft PE Floor-protective Base
- Height: 120mm, 150mm, 180mm
- Finish: DN, PC.

Item No.	Total Height H(mm)
T004-120	120
T004-150	150
T004-180	180




Steel Leg



#T005

- Steel Tube: 38mmD x 1.2mmT (Tapered)
- Inclined (65°)
- With PE Pad
- Height: 120mm, 150mm, 180mm, 360mm
- Finish: DN, PC.


Item No.	Total Height H(mm)
T005-120	120
T005-150	150
T005-180	180
T005-360	360



#T006

- Steel Tube: 50mmD x 1.2mmT (Tapered)
- Inclined (65°)
- With PE Pad
- Height: 120mm, 150mm, 180mm, 360mm
- Finish: DN, PC.

Item No.	Total Height H(mm)
T006-120	120
T006-150	150
T006-180	180
T006-360	360




Steel Leg



#T007A

- Steel Tube: 38mmD x 1.2mmT (Tapered)
- Vertical (90°)
- With 360° Swivel Glide and Rubber Floor-protective Base
- Height: 120mm, 150mm, 180mm, 250mm
- Finish: DN, PC.


Item No.	Total Height H(mm)
T007A-120	120
T007A-150	150
T007A-180	180
T007A-250	250



#T007B

- Steel Tube: 38mmD x 1.2mmT (Tapered)
- Inclined (65°)
- With 360° Swivel Glide and Rubber Floor-protective Base
- Height: 120mm, 150mm, 180mm, 250mm
- Finish: DN, PC.

Item No.	Total Height H(mm)
T007B-120	120
T007B-150	150
T007B-180	180
T007B-250	250




Steel Leg



#T007C

- Steel Tube: 38mmD x 1.2mmT (Tapered)
- Bended
- With 360° Swivel Glide and Rubber Floor-Protective Base
- Height: 400mm, 535mm, 710mm
- Finish: DN, PC.


Item No.	Total Height H(mm)
T007C-400	400
T007C-535	535
T007C-710	710




#T009

- Steel Tube: 70mmD x 1.2mmT (Tapered)
- Vertical (90°)
- Fixed, No Height Adjustment
- With Plastic Floor-Protective Base
- Height: 148mm
- Finish: PC.

Thread Code (A)	Thread	Length
U24	5/16"	27mm(1-1/8")
V24	M8	27mm(1-1/8")



Steel Leg






#T101

- Steel Tube: 60mmD x 1.2mmT
- With Zamac Stand (Grey Epoxy)
- With Plastic Adjustable Leveler, 30mm Height Adjustment
- Height: 400mm, 450mm, 630mm, 690mm
710mm, 820mm, 870mm, 1100mm
- Finish: BK, BL, BN, DN, PB, PC, SL, SV, WT.

#T101S

- Steel Tube: 60mmD x 1.2mmT
- With Steel Stand (Beige Epoxy)
- With Plastic Adjustable Leveler, 30mm Height Adjustment
- Height: 400mm, 450mm, 630mm, 690mm
710mm, 820mm, 870mm, 1100mm
- Finish: BK, BL, BN, DN, PB, PC, SL, SV, WT.

Item No.		Total Height H(mm)
T101-0400	T101S-0400	400
T101-0450	T101S-0450	450
T101-0630	T101S-0630	630
T101-0690	T101S-0690	690
T101-0710	T101S-0710	710
T101-0820	T101S-0820	820
T101-0870	T101S-0870	870
T101-1100	T101S-1100	1100






Steel Leg



#T102

- Steel Tube: 30mmD x 1.0mmT
- With M10 Threaded Plastic End Cap
- Height: 60mm, 100mm, 150mm, 200mm, 250mm, 300mm, 400mm, 500mm, 600mm, 700mm, 800mm, 900mm
- Finish: BK, BL, BN, PC, SV, WT.
- Option : With Screw Glide #9280-20 or #9280-30




Item No.	Total Height H(mm)
T102-060	60
T102-100	100
T102-150	150
T102-200	200
T102-250	250
T102-300	300
T102-400	400
T102-500	500
T102-600	600
T102-700	700
T102-800	800
T102-900	900



Threaded Plastic End Cap

Screw Glide
#9280-20 (M10x20mm, 5mm Height Adjustable)
#9280-30 (M10x30mm, 15mm Height Adjustable)


Steel Leg



#T103

- Steel Tube: 24mm x 24mm x 1.0mmT
- With M10 Threaded Plastic End Cap
- Height: 60mm, 100mm, 150mm, 200mm, 250mm, 300mm, 400mm, 500mm, 600mm, 700mm, 800mm, 900mm
- Finish: BK, BL, BN, PC, SV, WT.
- Option : With Screw Glide #9280-20 or #9280-30

Item No.	Total Height H(mm)
T103-060	60
T103-100	100
T103-150	150
T103-200	200
T103-250	250
T103-300	300
T103-400	400
T103-500	500
T103-600	600
T103-700	700
T103-800	800
T103-900	900



Threaded Plastic End Cap

Screw Glide
#9280-20 (M10x20mm, 5mm Height Adjustable)
#9280-30 (M10x30mm, 15mm Height Adjustable)



Steel Leg



#T104

- Steel Tube: 50mmD, 60mmD, 76mmD x 1.2mmT
- Steel Mounting Plate (Matt Black Epoxy), 116mm x 116mm x 3.2mmT, with Fixed 10 x 25mmL Bolt
- With Plastic Adjustable Leveler, 30mm Height Adjustment
- Finish: BK, BN, DN, PC, PB, SL, SV, WT.
- Option: With Caster (with Brake or without Brake)



Item No.	Tube Dia. D(mm)	Total Height H(mm)
T104S-50-0710	50	710
T104S-60-0710	60	710
T104S-76-0710	76	710




#T104C

- Steel Tube: 60mmD x 1.2mmT
- Steel Mounting Plate (Beige Epoxy), With Loosed M10 x 40mmL Bolt
- With Plastic Adjustable Leveler, 30mm Height Adjustment
- Height: 690mm, 710mm, 870mm
- Finish: BK, BN, DN, PC, PB, SL, SV, WT.

Item No.	Total Height H(mm)
T104C-0690	690
T104C-0710	710
T104C-0870	870






Steel Leg






#T105

- Steel Tube: 60mmD x 1.2mmT (Tapered)
- Steel Mounting Plate (Beige Epoxy)
- With #9210-30 Screw Glide, 15mm Height Adjustment
- Height: 710mm
- Finish: BK, BN, DN, PB, PC, SL, SV, WT.




Screw Glide #9210-30
15mm Height Adjustment

Steel Leg






#T105B

- Steel Tube: 60mmD x 1.2mmT (Tapered)
- Steel Mounting Plate (Matt Black Epoxy), 116mm x 116mm x 3.2mmT with Fixed M10 x 25mmL Bolt
- With #9210-30 Screw Glide, 15mm Height Adjustment
- Height: 710mm
- Finish: BK, BN, DN, PB, PC, SL, SV, WT.




Screw Glide #9210-30
15mm Height Adjustment





#T105C

- Steel Tube: 60mmD x 1.2mmT (Tapered)
- Steel Mounting Plate (Beige Epoxy), With Loosed M10 x 40mmL Bolt
- With #9210-30 Screw Glide, 15mm Height Adjustment
- Height: 710mm
- Finish: BK, BN, DN, PB, PC, SL, SV, WT.





Screw Glide #9210-30
15mm Height Adjustment

Steel Leg



#T107


- Steel Tube: 60mmD x 1.2mmT
- Steel Mounting Plate (Black Matt Epoxy), 116mm x 116mm x 3.2mmT, with Fixed M10 x 25mmL Bolt and Steel Insert
- With Plastic Adjustable Leveler, 30mm Height Adjustment
- Height: 710mm
- Finish: BK, BN, DN, PB, PC, SL, SV, WT.



#T108

- Steel Tube: 60mmD x 1.2mmT
- Steel Mounting Plate (Beige Epoxy), With Loosed M10 x 40mmL Bolt and Steel Insert
- With Plastic Adjustable Leveler, 30mm Height Adjustment
- Height: 710mm
- Finish: BK, BN, DN, PB, PC, SL, SV, WT.


Steel Leg




#T109

- Steel Tube: 60mmD x 1.0mmT
80mmD x 1.3mmT
120mmD x 1.5mmT
- Steel Mounting Plate (Same Finish as Leg Finish)
- With Plastic Adjustable Leveler, 30mm Height Adjustment
- Height: 710mm
- Finish: BK, BN, DNL, DCL, PB, PC, SL, SN, SV, WT.


Item No.	Tube Dia. D(mm)	Thickness T(mm)	A(mm)	B(mm)	Total Height H(mm)
T109S-060-0710	60	1.0	Ø136	Ø110	710
T109S-080-0710	80	1.3	Ø156	Ø110	710
T109S-120-0710	120	1.5	Ø196	Ø170	710



Steel Leg



Aluminum Mounting Plate
for 60mmD Steel Tube




Aluminum Mounting Plate
for 80mmD Steel Tube

#T110

- Steel Tube: 60mmD x 1.0mmT
80mmD x 1.3mmT
- Aluminum Mounting Plate: (Matt Black Epoxy),
With Loosed M10 x 20mmL Bolt
- With Plastic Adjustable Leveler, 30mm Height Adjustment
- Height: 690mm, 710mm, 820mm, 870mm, 1100mm
- Finish: BK, BN, DNL, DCL, PB, PC, SL, SN, SV, WT.

Item No.	Tube Dia. D(mm)	Thickness T(mm)	Total Height H(mm)
T110A-060-0690	60	1.0	690
T110A-080-0690	80	1.3	690
T110A-060-0710	60	1.0	710
T110A-080-0710	80	1.3	710
T110A-060-0820	60	1.0	820
T110A-080-0820	80	1.3	820
T110A-060-0870	60	1.0	870
T110A-080-0870	80	1.3	870
T110A-060-1100	60	1.0	1100
T110A-080-1100	80	1.3	1100





Steel Leg




#T111

- Steel Tube: 38mmD x 1.5mmT
- Steel Mounting Plate: 116mm x 116mm x 3mmT
- With #9210-30 Screw Glide, 15mm Height Adjustment
- Height: 640mm, 710mm
- Finish: BK, DN, PC, SL, SV.

Item No.	Total Height H(mm)
T111-640	640
T111-710	710





Screw Glide #9210-30
15mm Height Adjustment




#T112

- Steel Tube: 38mmD x 1.5mmT
- Steel Mounting Plate: 116mm x 116mm x 3mmT
- With #9210-30 Screw Glide, 15mm Height Adjustment
- Height: 640mm, 710mm
- Finish: BK, DN, PC, SL, SV.


Item No.	Total Height H(mm)
T112-640	640
T112-710	710



Screw Glide #9210-30
15mm Height Adjustment





Steel Leg



PC




Steel Mounting Plate



#T113

- Steel Tube: 60mmD x 1.2mmT
- Steel Mounting Plate (Same Finish as Leg Finish)
125mm x 75mm x 2mmT
- With Plastic Adjustable Leveler, 30mm Height Adjustment
- Height: 370mm, 710mm, 870mm, 1100mm
- Finish: BK, BN, DN, PB, PC, SL, SV, WT.



Item No.	Total Height H(mm)	Item No.	Total Height H(mm)
T113-0370	370	T113-0870	870
T113-0710	710	T113-1100	1100



PC



Steel Mounting Plate




#T113A

- Steel Tube: 60mmD x 1.2mmT
- Steel Mounting Plate (Same Finish as Leg Finish)
125mm x 75mm x 2mmT
- With Non-Adjustable End Cap
- Height: 370mm, 710mm, 870mm, 1100mm
- Finish: BK, BN, DN, PB, PC, SL, SV, WT.

Item No.	Total Height H(mm)	Item No.	Total Height H(mm)
T113A-0370	370	T113A-0870	870
T113A-0710	710	T113A-1100	1100

Steel Leg



#T121



- Three Steel Tube: 10mmD
- Steel Mounting Plate: 130mm x 130mm x 2mmT
- With Plastic Protective Pad
- Height: 370mm, 710mm
- Finish: BK, CP.

Item No.	Total Height H(mm)
T121-370	370
T121-710	710


#T122

- Three Steel Tube: 10mmD
- Steel Mounting Plate: 124mm x 124mm x 2mmT
- With Plastic Protective Pad
- Height: 370mm, 710mm
- Finish: BK, CP.

Item No.	Total Height H(mm)
T122-370	370
T122-710	710






Steel Leg



#T123



- Three Steel Tube: 10mmD
- Steel Mounting Plate: 125mm x 125mm x 2mmT
- With Plastic Protective Pad
- Height: 370mm, 710mm
- Finish: BK, CP.

Item No.	Total Height H(mm)
T111-640	640
T111-710	710






#T124

- Three Steel Tube: 10mmD
- Steel Mounting Plate: 135mm x 100mm x 2mmT
- With Protective Pad
- Height: 710mm
- Finish: BK, CP, SV.




Steel Leg



#T128

- Four Steel Tube: 10mmD
- Steel Mounting Plate: 116mm x 116mm x 2mmT
- With #9280-30 Screw Glide, 15mm Height Adjustment
- Height: 310mm, 640mm, 710mm
- Finish: BK, PC, SL, SV.

Item No.	Total Height H(mm)
T128-310	310
T128-640	640
T128-710	710




Steel Leg



#T131

- Steel Tube: 32mmD x 1.2mmT
- Vertical (90°)
- Height: 100mm, 120mm, 150mm, 180mm
- Finish: DN, PC.


Item No.		Total Height H(mm)
T131A-100	T131B-100	100
T131A-120	T131B-120	120
T131A-150	T131B-150	150
T131A-180	T131B-180	180




#T132

- Steel Tube: 32mmD x 1.2mmT
- Inclined (75°)
- Fixed, Non-Adjustable
- Height: 100mm, 120mm, 150mm, 180mm
- Finish: DN, PC.

Item No.	Total Height H(mm)
T132-100	100
T132-120	120
T132-150	150
T132-180	180




Steel Leg



#T133

- Steel Tube: 22mmD x 1.2mmT
- Fixed, No Height Adjustable
- With Soft PE Floor-Protective Base
- Height: 100mm, 120mm, 150mm
- Finish: DN, PC.


Item No.	Total Height H(mm)
T133-100	100
T133-120	120
T133-150	150



#T134

- Steel Tube: 32mmD x 1.2mmT
- Fixed, No Height Adjustment
- With Rubber Floor-Protective Base
- Height: 100mm, 120mm, 150mm
- Finish: DN, PC.

Item No.	Total Height H(mm)
T134-100	100
T134-120	120
T134-150	150




Steel Leg



#T135


- Steel Tube: 38mmD x 1.2mmT
- With Soft PE Floor-Protective Base
- Height: 120mm, 150mm, 180mm
- Finish: DN, PC.

Item No.	Total Height H(mm)
T135-120	120
T135-150	150
T135-180	180




#T139

- Steel Tube: 38mmD x 1.2mmT
- Fixed, No Height Adjustable
- With PE Floor-Protective Base
- Height: 150mm
- Finish: DN, PC.



Steel Leg




#T201, #T202, #T203


- Steel Sheet: 2.0mmT
- With Screw Glide, 15mm Height Adjustment
- Height: 150mm
- Finish: BK, DN, PC, SV.

Item No.	Total Height H(mm)
T201-150	150
T202-150	150
T203-150	150


T201




T202



T203




Steel Leg




#T204A

- Steel Sheet: 2.0mmT
- Fixed, No Height Adjustable
- With Soft PE Floor-Protective Base
- Height: 105mm
- Finish: DN, PC.




#T204B

- Steel Sheet: 2.0mmT
- With Screw Glide, 8mm Height Adjustable
- Height: 105mm
- Finish: DN, PC.



Steel Leg





#T208



- Steel Sheet: 2.0mmT
- Height: 105mm, 120mm, 135mm
- Finish: PC, DN, SV.

Item No.	Total Height H(mm)
T208A-105	105
T208A-120	120
T208A-135	135

Item No.	Total Height H(mm)
T208B-105	117
T208B-120	132
T208B-135	147



Type A
Without Screw Glide



Type B
With Screw Glide
10mm Height Adjustable



Aluminum Leg



#T301

- Top Plate: Steel Sheet 80mm x 80mm x 2.0mmT
- Aluminum Bar: #Type A (28mmD)
#Type B (31mmD)
#Type C (35mmD)
#Type D (38mmD)
- With Aluminum Base and Adjustable Screw
- Height: 120mm, 150mm
- Finish: NA, PL, PNA.

Item No.	Total Height H(mm)	Bar Dia. D(mm)
T301A-120	120	28
T301A-150	150	28
T301B-120	120	31
T301B-150	150	31
T301C-120	120	35
T301C-150	150	35
T301D-120	120	38
T301D-150	150	38






8mm Height Adjustable

Aluminum Leg





#T302

- Top Plate: Steel Sheet 70mm x 70mm x 3mmT
- Aluminum Bar: 42mmD
- With Plastic Base
- Height: 150mm
- Finish: NA, PL, PNA.



#T303

- Top Plate: 90mmD x 8mmT
- Aluminum Bar: 50mmD
- With Flat Base
- 10mm Height Adjustable
- Height: 135mm
- Finish: NA, PL, PNA.





Aluminum Leg




#T304

- Top Plate: 90mmD x 8mmT
- Aluminum Bar 53mmD, Tapered
- With Flat Base
- 10mm Height Adjustable
- Height: 135mm
- Finish: NA, PL, PNA.




#T305

- Top Plate: 70mmD x 7.5mmT
- Aluminum 30mmD, Solid
- With Flat Base
- 10mm Height Adjustable
- Height: 140mm
- Finish: NA, PL, PNA.





Aluminum Leg



#T306

- Top Plate: 100mmD x 8mmT
- Aluminum Bar: 60mmD
- With Flat Base
- 25mm Height Adjustable
- Height: 150mm, 200mm, 300mm, 700mm
- Finish: NA, PL, PNA.


Item No.	Total Height H(mm)
T306-150	150
T306-200	200
T306-300	300
T306-700	700




#T307

- Top Plate: 50mmD x 4mmT
- Aluminum Bar: 30mmD
- With Flat Base
- 25mm Height Adjustable
- Height: 75mm, 100mm, 120mm, 150mm, 170mm
- Finish: NA, PL, PNA.

Item No.	Total Height H(mm)
T307-075	75
T307-100	100
T307-120	120
T307-150	150
T307-170	170







Aluminum Leg




#T311

- Top Plate: 48.5mmD x 4mmT
- Aluminum Bar: 25mmD: #Type A
#Type B
#Type C
- With Flet Base
- 20mm Height Adjustable
- Height: 100mm
- Finish: NA, PL, PNA.







Aluminum Leg



#T312

- Top Plate: 48.5mmD x 4mmT
- Aluminum Bar: 25mmD: #Type A
#Type B
#Type C
- With Flet Base
- 8mm Height Adjustable
- Height: 100mm
- Finish: NA, PL, PNA.




Aluminum Leg




#T581

- Material: Aluminum
- With Plastic Base
- With M10 x 40mm Bolt
- Height: 145mm
- Finish: NA, PL, PNA.



#T582

- Material: Aluminum
- With Plastic Base
- With M10 x 40mm Bolt
- Height: 93mm
- Finish: NA, PL, PNA.





Zamac Leg



#T601

- Steel Top Plate: 60mmD x 4mmT
- Zamac Body with Wooden Insert
- With Screw Glide, 10mm Height Adjustment
- Height: 100mm, 150mm
- Finish: DN/WW, DN/WW, PC/WW.


Item No.	Total Height H(mm)
T601-100	97
T601-150	147



#T602

- Steel Top Plate: 60mmD x 4mmT
- Zamac Body with Wooden Insert
- With Screw Glide, 10mm Height Adjustment
- Height: 100mm, 150mm
- Finish: DN/WW, DN/WW, PC/WW.

Item No.	Total Height H(mm)
T602-100	102
T602-150	146





Zamac Leg



#T603

- Steel Top Plate: 66mm x 60mm x 4mmT
- Zamac Body
- With Screw Glide, 10mm Height Adjustment
- Height: 50mm, 75mm, 100mm
- Finish: DN, PC, PN, SV.


Item No.	Total Height H(mm)
T603-050	50
T603-075	75
T603-100	100





#T621

- Material: Zamac
- Height: 100mm
- Finish: DN, PC, SV.

Item No.	Total Height H(mm)
T621A-100	100
T621B-115	115



Type B
With Screw Glide
10mm Height Adjustable




Type A
Without Screw Glide

Zamac Leg




#T622

- Material: Zamac
- Fixed, No Height Adjustable
- With PE Floor-Protective Base
- Height: 130mm
- Finish: DC, DN, PC.



#T623

- Material: Zamac
- Fixed, No Height Adjustable
- With PE Floor-Protective Base
- Height: 103mm
- Finish: DC, DN, PC.





Zamac Leg




#T624

- Material: Zamac
- With Screw Glide, 8mm Height Adjustment
- Height: 110mm
- Finish: DC, DN, PC.




#T626

- Material: Zamac
- Fixed, No Height Adjustable
- With PE Floor-Protective Base
- Height: 70mm
- Finish: DN, PB, PC.





Zamac Leg



#T627A

- Material: Zamac
- Fixed, No Height Adjustable
- With Rubber Floor-Protective Base
- Height: 120mm, 135mm
- Finish: DC, DN, PB, PC.



Item No.	Total Height H(mm)	Base Dia. (mm)
T627A-120	120	55
T627A-135	135	60




#T627B

- Material: Zamac
- With Screw Glide, 5mm Height Adjustment
- With Rubber Floor-Protective Base
- Height: 120mm, 136mm
- Finish: DC, DN, PB, PC.

Item No.	Total Height H(mm)	Base Dia. (mm)
T627B-120	120	55
T627B-136	136	60




Zamac Leg



#T628

- Material: Zamac
- Fixed, No Height Adjustable
- With Rubber Floor-Protective Base
- Height: 130mm
- Finish: DC, DN, PB, PC, SV.



#T629

- Material: Zamac
- Non-Swivel
- Fixed, No Height Adjustable
- With Rubber Floor-Protective Base
- Height: 120mm, 160mm
- Finish: DC, DN, PB, PC, SV.

Item No.	Total Height H(mm)	C.C. A x B (mm)
T629-120	120	56 x 35
T629-160	160	56 x 46


Zamac Leg



#T630


- Material: Zamac
- With Rubber Floor-Protective Base
- Height: 103mm
- Finish: DC, DN, PB, PC, SL.

Item No.	Total Height H(mm)	C.C. A x B (mm)
T630A	103	50 x 36
T630B	103	52 x 32





#T631

- Material: Zamac
- With Rubber Floor-Protective Base
- 10mm Height Adjustable
- Height: 92mm
- Finish: DN, PB, PC, SV.





Zamac Leg



#T632

- Material: Zamac
- Fixed, No Height Adjustable
- With Rubber Floor-Protective Base
- Height: 90mm
- Finish: DC, DN, PB, PC, SL.



#T633

- Material: Zamac
- Fixed, No Height Adjustable
- With Rubber Floor-Protective Base
- Height: 125mm
- Finish: DC, DN, PB, PC, SV.

Zamac Leg


PC



#T634

- Material: Zamac
- Fixed, No Height Adjustable
- With Rubber Floor-Protective Base
- Height: 105mm, 130mm
- Finish: DC, DN, PC, SV.

Item No.	Total Height H(mm)
T634-105	105
T634-130	130




DN



#T635

- Material: Zamac
- Fixed, No Height Adjustable
- With Rubber Floor-Protective Base
- Height: 128mm
- Finish: DC, DN, PC, SV.




Zamac Leg





PC

#T636

- Material: Zamac
- With Screw Glide, 15mm Height Adjustment
- With Rubber Floor-Protective Base
- Height: 100mm
- Finish: DC, DN, PB, PC, SV.




15mm Height Adjustable





PC

#T638

- Material: Zamac
- With Screw Glide, 15mm Height Adjustment
- With Rubber Floor-Protective Base
- Height: 115mm
- Finish: DC, DN, PB, PC, SV.



15mm Height Adjustable





Zamac Leg





#T639

- Material: Zamac
- Fixed, No Height Adjustable
- With Rubber Floor-Protective Base
- Height: 126mm
- Finish: DC, DN, PC, SV.



#T640

- Material: Zamac
- Fixed, No Height Adjustable
- With PE Floor-Protective Base
- Height: 98mm
- Finish: DC, DN, PB, PC, SV.





Zamac Leg



PC

#T641

- Material: Zamac
- With Screw Glide, 10mm Height Adjustment
- Height: 95mm
- Finish: DN, PC, SV.




Brass Leg




#T701

- Steel Top Plate: 60mmD x 4mmT
- Brass Body
- With Screw Glide, 10mm Height Adjustment
- Height: 100mm
- Finish: DN, PC.




#T702

- Steel Top Plate: 60mmD x 4mmT
- Brass Body with Wooden Insert
- With Screw Glide, 10mm Height Adjustment
- Height: 100mm, 150mm, 375mm
- Finish: DN/WW, DN/WW, PC/WW, PC/WW.





Item No.	Total Height H(mm)
T702-100	100
T702-150	150
T702-375	375

Brass Leg



#T703


- Steel Top Plate: 66mm x 60mm x 4mmT
- Brass Body
- With Screw Glide, 10mm Height Adjustment
- Height: 100mm
- Finish: DN, PC.



#T704

- Steel Top Plate: 66mm x 60mm x 4mmT
- Brass Body with Wooden Insert
- With Screw Glide, 10mm Height Adjustment
- Height: 100mm, 150mm
- Finish: DN/WW, DN/WW, PC/WW, PC/WW.

Item No.	Total Height H(mm)
T704-100	100
T704-150	150





Brass Leg



#T705

- Steel Top Plate: 66mm x 60mm x 4mmT
- Brass Body with Wooden Insert
- With Screw Glide, 10mm Height Adjustment
- Height: 100mm, 150mm
- Finish: DN/WV, DN/WW, PC/WV, PC/WW.


Item No.	Total Height H(mm)
T705-100	100
T705-150	150



#T706

- Steel Top Plate: 66mm x 60mm x 4mmT
- Brass Body with Wooden Insert
- With Screw Glide, 10mm Height Adjustment
- Height: 100mm, 150mm
- Finish: DN/WV, DN/WW, PC/WV, PC/WW.

Item No.	Total Height H(mm)
T706-100	100
T706-150	150





Plastic Leg





#T741 (Cylinder Type)

- Material: Nylon-6
- With Screw Glide For Height Adjustment
- Height: 65mm
- Finish: BK, SV.




#T742 (Square Type)

- Material: Nylon-6
- With Screw Glide For Height Adjustment
- Height: 65mm
- Finish: BK, SV.






Plastic Leg



#T743

- Material: Plastic (ABS)
- Size: 91mm x 91mm x 101mmH
- With M8 HEX Nut and Screw Glide, 10mm Height Adjustment
- Height: 112mm
- Finish: SV.




Wooden Leg



#T811

- Material: Rubber Wood
- With Tee-Nut 1/4"-20 Insert
- With Bolt 5/16"-18 x 32mmL
- Option: #Type A (W / O Screw Glide)
#Type B (W / Screw Glide)
- Height: 130mm
- Finish: WU.




Type B
Screw Glide, Thread 1/4" x 22mmL
10mm Height Adjustable



#T812

- Material: Birch Wood
- With Tee-Nut 1/4"-20 Insert
- With Bolt 5/16"-18 x 37mmL
- Option: #Type A (W / O Screw Glide)
#Type B (W / Screw Glide)
- Height: 110mm
- Finish: WU.





Type B
Screw Glide, Thread 1/4" x 22mmL
10mm Height Adjustable

Wooden Leg




#T813

- Material: Rubber Wood
- Fix, No Height Adjustable
- With Bolt 5/16"-18 x 1"L
- With PE Nail Glide 15.5mmD
- Height: 132mm
- Finish: WW.



#T814

- Material: Birch Wood
- Fix, No Height Adjustable
- With Bolt 5/16"-18 x 1-1/2"L
- With PE Nail Glide 19mmD
- Height: 70mm
- Finish: WW.




Wooden Leg




#T816

- Material: Maple Wood
- With Screw Glide For Height Adjustment
- With Bolt 5/16"-18 x 1"L
- Height: 148mm
- Finish: WU.



#T817

- Material: Maple Wood
- Fix, No Height Adjustable
- Height: 98mm
- Finish: WU.




Item No.	Total Height H(mm)	Diameter D1(mm)	Diameter D2(mm)
T817S-098	98	89	63
T817L-098	98	102	74

Folding Table Leg




T921



#T921, #T922


- Material: Steel Tube
- Plastic Top Fittings with Screw Glide
- For Height Adjustment
- Height: 690mm, 710mm
- Finish: BK, PC, SV.



Item No.	Total Height H(mm)
T921-690	690
T921-710	710
T922-690	690
T922-710	710



T922





Electromotive Leg





#T931

- Material: Aluminum
- Electric Adjustable Table Legs
- INPUT: 110~120Volt / 60Hz
- 370mm of Height Adjustment from 580mm to 950mm
- Maximum Load Capacity: 200kg
- Speed: 20~23mm/sec
- Finish: NA.





Pneumatic Leg



#T932




- Pneumatic Adjustable Table Legs
- Applied Gas Pistons to Adjust Via Hand Lever
- 270mm of Height Adjustment from 690mm to 960mm
- Maximum Load Capacity: 15kg
- With Swivel Glide and Rubber Base
- Finish: PC, TBK.

Table Support



E5801



- Angled Table Support: Slanted 20° for Solid Tops Mounted on the Countertop
- Size: 50.8(2")mmD x 1.5mmT x 200mmH
- Maximum Load Capacity: 15kgs
- Material: Steel Tube / Zamac Base
- Finish: DC, DN, PB, PC, SL.



E5802




- Flat Insert: for Glass Tops Mounted on the E5801 and with Glue to Glass
- Size: Oval 61mmD x 65mm x 2.5mmT
- Material: Stainless Steel
- Finish: NA

Table Support



E5803

- 90° Table Support: for Solid Tops
Mounted on the Countertop
- Size: 50.8(2")mmD x 1.5mmT x 200mmH
- Maximum Load Capacity: 15kgs
- Material: Steel Tube / Zamac Base
- Finish: DC, DN, PB, PC, SL.



E5804

- Flat Insert: for Glass Tops
Mounted on the E5803 and with Glue to Glass
- Size: 60.5mmD x 2.5mmT
- Material: Stainless Steel
- Finish: NA.

Index

Item No.	Page No.
T001A,B	K1-01
T002A,B	K1-02
T003	K1-03
T004	K1-03
T005	K1-04
T006	K1-04
T007A,B	K1-05
T007C	K1-06
T009	K1-06
T101,S	K1-07
T102	K1-08
T103	K1-09
T104,C	K1-10
T105	K1-11
T105B,C	K1-12
T107	K1-13
T108	K1-13
T109	K1-14
T110	K1-15
T111	K1-16
T112	K1-16
T113, A	K1-17
T121	K1-18
T122	K1-18
T123	K1-19
T124	K1-19
T128	K1-20
T131	K1-21
T132	K1-21
T133	K1-22
T134	K1-22
T135	K1-23
T139	K1-23
T201	K1-24
T202	K1-24
T203	K1-24
T204A,B	K1-25
T208A,B	K1-26
T301A,B,C,D	K2-01
T302	K2-02
T303	K2-02

Item No.	Page No.
T304	K2-03
T305	K2-03
T306	K2-04
T307	K2-04
T311A,B,C	K2-05
T312A,B,C	K2-06
T581	K2-07
T582	K2-07
T601	K3-01
T602	K3-01
T603	K3-02
T621A,B	K3-02
T622	K3-03
T623	K3-03
T624	K3-04
T626	K3-04
T627A,B	K3-05
T628	K3-06
T629	K3-06
T630A,B	K3-07
T631	K3-07
T632	K3-08
T633	K3-08
T634	K3-09
T635	K3-09
T636	K3-10
T638	K3-10
T639	K3-11
T640	K3-11
T641	K3-12
T701	K4-01
T702	K4-01
T703	K4-02
T704	K4-02
T705	K4-03
T706	K4-03
T741	K5-01
T742	K5-01
T743	K5-02
T811	K6-01
T812	K6-01

[illegible]

Sun Chain Trading Co., Ltd.



SUN CHAIN TRADING CO., LTD.

11F. No. 53 Minchuan West Road, Taipei 104, Taiwan

Tel: 886-2-25927733

Fax: 886-2-25927300, 886-2-25927227

[Http://www.sunchain.com.tw](http://www.sunchain.com.tw)

E-mail: sunchain@sunchain.com.tw
sunchain@ms9.hinet.net